



COLLEGE OF VETERINARY AND ANIMAL SCIENCE, BIKANER Ph.No. 0151 - 2204123(O) 2205123 (Fax)

E-mail Address - Cvas901@gmail.com

कमांक वीसीबी/लेखा/कय/2022-23/73/

दिनांकः-23/2/2023

ई- बोली आंमत्रण सूचना सं0 08 / 2022-23

इस विश्वविद्यालय केम्पस में फार्माकॉलोजी विभाग,सी.वी.ए.एस., बीकानेर से माननीय कुलपति आवास,राजुवास, बीकानेर तक भूमिगत विधुत केबल डालने का कार्य हेतु दो कवर बिड (तकनीकी व वित्तीय बिड) से ऑनलाईन ई बोली आंमत्रित की जाती है, जिसमें राजकीय विभाग /विश्वविद्यालय में पंजीकृत फर्मो हेतु डी.एस.सी. के माध्यम से निर्धारित अवधि तक ऑनलाईन बोली डाउनलोड कर अपलोड कर सकते है।

क्र0सं0	विवरण	अनुमानित लागत	अनुमानित मात्रा	बोली प्रतिभूति	बोली / निविदा शुल्क	आर.आई.एस.एल की प्रकिया
1.	Supply, laying, eraction, commissioning & testing of 185mm 3.5core Underground Electric Cable along with cubical panel & G.I Tubular Poles from Pharmacology Department to V.C. Banglow via Bank Building along the Road at RAJUVAS Campus Bikaner	रू0 12.81 लाख	बिड डाटा शीट के अनुसार	राशि रू0 25620/-	₹50 1000/-	शुल्क रू0 1500/-
	ई-प्रोक्योरमेन्ट के माध्यम से बोली प्रप प्रारम्भ/प्रस्तुत करने की दिनांक व समय				3.02.2022 से 1.20 को का	8.3.2023 समय
	बोली प्रतिभूति राशि,बोली/निविदा शुल प्रस्तुत करने की अन्तिम दिनांक व समय विज्ञान महाविद्यालय, बीकानेर के कार्यालय	क, आर.आई.ए (अधिष्ठाता, प			1.30 बजे तक 3.2023 को सुबह 1.30 बजे तक	
3.	तकनीकी बोली खुलने की दिनांक व समय	1	in en		3.2023 को दोपह	

ऑनलाईन बिडिंग के लिये बोलीदाता के पास सूचना प्रौधोगिक एक्ट (Information technology Act 2000) के अनुसार डिजीटल हस्ताक्षर प्रमाण पत्र (Digital Signature certificate) होना आवश्यक है। बोली दस्तावेज मय शतों के वेबसाईट <u>www.eproc.rajasthan.gov.in</u> पर उपलब्ध है, जिसे इच्छुक बोलीदाता द्वारा उक्त विवरणानुसार डाउनलोड/अपलोड करवाया जा सकता है। तकनिकी बोली उन्ही बोलीदाताओ की खोली जावेगी जिनके द्वारा दिनांक 08.03.2023 को सुबह 11.30 बजे तक बोली प्रतिभूति राशि,बोली/निविदा शुल्क का डी.डी./बैकर चैक इत्यादि जो कि अधिष्ठाता, पशु चिकित्सा एवं पशु विज्ञान महाविद्यालय, बीकानेर के नाम से तथा आर.आई.एस.एल. प्रक्रिया शुल्क रू. 1500/- का डी.डी./बैकर चैक "Managing Director Rajcomp info services ltd."के नाम से जयपुर देय होगी, जो इस कार्यालय को प्राप्त होनी चाहिये। ई-निविदा आंमत्रण सूचना विवरण स्टेट पॉटल की वेबसाईट http://sppp.raj.nic.in, एवंम

अधोस्ताक्षरकर्ता को बोली प्रकिया को या उसके किसी भाग को निरस्त/रद्द करने का अधिकार होगा। तकनिकी बोली खोलने की तिथि को अवकाश हो जाने की स्थिति में अगले कार्य दिवस को खोली जावेगी। निविदादाता की तकनिकी बिड (प्रि–क्वालीफिकेशन) में सफल माने जावेगे. उन्ही की वित्तिय बिड खोली जावेगी। तकनिकी बिड (प्रि–क्वालीफिकेशन) योग्य नही पाये जाने वाले निविदादाता की वित्तिय बिड नहीं खोली जावेगी। बोली से संबंध में सम्पूर्ण अधिकार अधोहस्ताक्षरकर्ता के अन्तर्गत सुरक्षित रहेगा।

Ph.No. 0151 - 2204123(O) 2205123 (Fax) E-mail Address - cvas901@gmail.com



DEAN

तकनीकि बिड

ई-निविदा सूचना सं0 08/2022-23

Supply, laying, eraction, commissioning & testing of 185mm 3.5core Underground Cable along with cubical panel & G.I Tubular Poles from Pharmacology Department to V.C. Banglow via Bank Building along the Road at RAJUVAS Campus Bikaner

ई-निविदा सूचना सं0 08/2022-23 की तकनीकी बिड

विवरणः

1.	निविदा भरने का प्रकार	ऑनलाईन e-
		Procurement/e-
		tendering system
		http://eproc.rajasth
		an.gov.in
2.	निविदा प्रस्तुत करने वाली फर्म / संस्था का नाम, पता, दूरभाष/मोबाईल न. व ई–मेल पता	
3.	निविदा शुल्क रू० 1000/— रसीद स0/डी०डी०/बैंकर चैक न0 , दिनांक	रसीद स0/डी.डी./बैंकर चैक न
		.दिनांक
4	RISL प्रकिया शुल्क रू0 1500/-	डी0डी0/बैंकर चैक न0
		दिनांक
5.	अनुमानित लागत	रू० 12.81 लाख
6.	बोली प्रतिभूति राशि रू0 25620/-	
	200207	रसीद स0/डी.डी./बैंकर चैक न
		.दिनांक
7	स्टेट पोर्टल व विभागीय वेबसाईट के माध्यम से बोली प्रपत्र व शर्ते	22.02.2023 से 08.03.
		2023 को सुबह 11.00 बजे
Sign	ature of the Bidder	· Aprilan

AEN(E)



Ph.No. 0151 - 2204123(O) 2205123 (Fax) E-mail Address - cvas901@gmail.com

		। पशुधन नित्य सर्वलोकोपकारकम् ।
	डाउनलोड करने की दिनांक व समय	तक
8.	निविदा (तकनिकी एवं वित्तिय) प्रस्तुत करने की अन्तिम दिनांक व समय	08.03.2023 को सुबह 11.30 बजे तक
9.	तकनिकी निविदा खोलने की दिनांक/समय	08.03.2023 को दोपहर 3.30 बजे
10.	निविदा डाउनलोड/अपलोड करने की साईट	www.sppp.nic.in, www.rajuvas.org.in
		http://eproc.rajasth an.gov.in
11.	आयकर पैन न. की प्रति	आयकर पैन न. की प्रति तकनीकि निविदा के साथ अपलोड करे ।
12.	जी.एस.टी. में पंजीकृत होने का रजिस्ट्रेशन प्रमाण पत्र, जीएसटी चालान/जीएसटी रिर्टन की छाया प्रति	जी.एस.टी. में पंजीकृत होने का प्रमाण पत्र, जीएसटी चालान/जीएसटी रिर्टन की छाया प्रति तकनीकि निविदा के साथ अपलोड करे ।
13	किसी राजकीय विभाग/विश्वविद्यालय में पंजीकृत होने के प्रमाण पत्र	किसी राजकीय विभाग⁄विश्वविद्यालय में पंजीकृत होने के प्रमाण पत्र की प्रति अपलोड करें।
14.	फर्म पूर्व में कभी ब्लैक लिस्टेंड घोषित नही की गई है एंव फर्म के विरूद्ध पूर्व में कभी पुलिस कार्यवाही नही की गई है, न ही माननीय न्यायालय द्वारा कभी दंडित किया गया है और न ही किसी प्रकार की कोई विजिलेंस जॉच लंबित है इस बाबत सौ रूपये कि स्टाम्प पर शपथपत्र नोटरी करवा के प्रस्तुत करे।	इस बाबत सौ रूपये कि स्टाम्प पर शपथ-पत्र अपलोड करे ।
15.	निविदा की वैधता अवधि	upto 31.03.2023
16	निविदा की शर्ते व सामान्य निविदा शर्ते जिन पर निविदादाता के प्रत्येक पृष्ठ पर हस्ताक्षर हो,Annexure A,B,C,D , SR-11 and Bid Securing	प्रत्येक पृष्ठ पर हस्ताक्षर कर अपलोड करे ।

Signature of the Bidder

DEAN

Ph.No. 0151 - 2204123(O) 2205123 (Fax) E-mail Address - cvas901@gmail.com

47	CN		। पशुधनं नित्यं सर्वलोकोपक
17	S.No.	Items	Approxi. Quantity Required
	I.	Cubical Panel	11 sq. mtr
		SITC of IP-42 and general construction confirming to IS:8623 : 1993, wall/ free	
		standing floor mounted dust and vermin proof compartmentalised cubical panel	
		as specifications and Other parameters required as per point (a) ,(b), (c),(d), (e), (f), (g), (h) as below:-	
		(a)Thickness of CRCA sheet shall be 2.0 mm, cable alley compartments having	
		concealed hinged type doors with key type lock with / without detachable	
		extension type structure. Removable 3 mm. thick sheet steel gland plates with appropriate size of knockouts for cables shall be provided	
		(b)complete panel shall undergo a process of degreasing, Water rinsing,	
		Activation, derusting, pickling in acid bath, phosphatising & shall be subjected to	
		nine tank process and then Powder coated with approved shade of minimum 70	
		microns on both side of panel. The panel having PE foam/ Neoprene rubber gasket of not less than 3mm thickness , required hardware ,	
		concealed hinged door with key type locking arrangement for equipment/switchgear	
		earthed with 2.5 sq.mm braided copper wire.	
		[C) Interconnection between bus bar and switchgears /cable shall be rigidly	
		supported and made out by flexible copper wires (up to 63 amp) and by solid bus bar (>63 amp) . control wiring will be carried out with 1.5 Sq.mm,	
		Earth wire with 2.5 Sq.mm and CT with 2.5 sq.mm flexible copper wire only. All	
		joints / interconnections of copper bus bar shall be dully tinned .	
		Clearance between main bus bar and risers / metal parts shall be at least 10 mm	
		additional to width of bus bar Bus bar is insulated by Heat Shrinkable sleeves . Earth and Neutral bus	
		bar shall be half of the size of phase bus bar. (Cost of Bus bar / Flexible wire for	
		Interconnection between Main busbar and Switchgear is to be Paid Extra)	
		(d)Wiring between components within switchgear and Incoming / outgoing cable	
(E)		shall be done through the terminal block only. Direct connection shall not be	
		permitted. Each terminal block shall be one piece moulded, barrier	lin

١

DEAN

Mar

Ph.No. 0151 - 2204123(O) 2205123 (Fax) E-mail Address - cvas901@gmail.com

		। पशुधनं नित्यं सर्वलोकोपकारकम्।
	type, 650 volt	
	grade, complete with washers, heads, studs with two nuts and	
	identification strips	
	and shall have adequate continuous current rating. For tap-offs,	
	adjacent	
	terminals with shorting strips shall be used. 10% Spare terminal	
	blocks shall be	
	provided. Wire identification on marking strip shall correspond to the designation	
	of the wiring diagrams. All wire terminals on the equipment shall also be marked	
		NUMBER OF STREET, STRE
	with designation corresponding to those of the wiring diagram.	
	(e)All wiring shall be enclosed in plastic channels and neatly bunched and closed	
	in metering chamber, Wiring between terminals of various devices	
Part of the second second	shall be 'point	
	to point' (no wire splitting or tee connections) with wires neatly	
	trucked along the	
	back of the panels, adequately supported to prevent sagging.	
	(f)Floor mounted panel shall be mounted on Base frame of ISMC	
	channel size 100	
	x 50 x 5 mm (to be paid Extra)	
	(g) Tests: The insulation resistance (with 1000 V Megger) and High	
	voltage Power	
122 31 31 68	frequency test (by applying a voltage of 2.5KV for one minute)	
	shall be measured	
	between phases, between phase and neutral and between phase	
	and earth. both	
	before and after high voltage power frequency test. The insulation	
	resistance shall	
	not be less than three megaohm. CT Secondary current injection	
Part State	test shall also be	
	carried out.	
	(h) only outer surface area on all sides shall be measured & panel	
	to be fabricated	
	only from CPRI approved fabricator only (CPRI Test certificates to	
	be submitted)All	
	as per pre approved by Engineer in charge. For additional technical	
	parameters of	
	products/ work , refer Annexure "A" attached with this BSR .	
TT		20.1/-
II.	Bus Bar	30 Kg
	Cumpleling and Balance Call and the United States	
	Supplying and fixing of Aluminium (IEC 60105 ISO 209-1,2) /	
	Copper (IEC 60028)	
	bus bar by means of SMC / DMC type insulator with standard short	
E E G BIT S	circuit	
	withstand capacity, high tensile nuts and bolts spring washers in	
S. 14 4 12	existing panel	
	including bending, cutting in required shape and size and colour	
	coding with heat	
	shrinkable PVC sleeves. All as per pre approved by Engineer in	
	charge. For	
	charge. For additional technical parameters of products/ work , refer	

DEAN

C

Ph.No. 0151 - 2204123(O) 2205123 (Fax) E-mail Address - cvas901@gmail.com



		। पशुधनं नित्यं सर्वलोकोपक
	with this BSR .	
	Electrolytic grade Aluminium bus bar 6010 grade	
III.	3.5 Core 185mm PVC	540 mtr.
	LT Cable	
	Make-Havells, RR kable, Polycab, Finolex or equilvelent as	
	per ISI Approved	
	Please Quote Make	
	Providing & Laying P.V.C. / XLPE insulated & P.V.C. sheathed Arrmoured	
	Aluminium cable confirming to IS:1554 P-I / IS :7098 P - I of 1.1 KV with H4-	
	Grade electrolytic aluminium conductor confirming to IS 8130 of purity >99.6 %,	
	Inner / outer sheath confirming to IS:5831 in existing RCC /	
	Hume / Stoneware /	
	PVC pipe/ open duct/cable trench / Cable tray (with cable tie) including testing	
	etc. as required of following size. OEM must have it's own in house NABL	
	accrediated Laboratory for testing procedure as per IS:10810.	
IV.	Cable Trench	540mtr.
	Add Extra for Laγing of one number PVC insulated and PVC sheathed / XLPE	
	power cable of 1.1 KV grade direct in ground including excavation of trench of	
	size 75 cm (Depth) x 35 cm(Width) , with procedure as per following points:-	
	(a) Make a river sand bed of height 125 mm along the trench, (b) Lay the cable	
	in the middle of the trench, (c) Provide river sand bed of height	
	125 mm on top of the cable, (d) Lay the protective Common burnt clay F.P.S.	
	Bricks of Class designation 75 / Sand stone slabs of 50 mm thickness and 225	
	mm wide just above the sand bed vertically across the cable (Approx. 9 no.	
	Bricks per Mtr.), (e)	
	Backfill the excavated soil leaving 300 mm from the Ground	
	level, (f)Lay the Cable warning tape and again back fill the remaining portion of	
	Cable warning tape and again back-fill the remaining portion of the trench upto	
	the ground level and compacting the earth	
. V.	Aluminium Lugs of size 185mm,10mm and 4mm	95 Nos.
27	Supplying and making end termination with heavy aluminium	
AEN(E)		

B

S

Signature of the Bidder

Kalaha

DEAN



Ph.No. 0151 - 2204123(O) 2205123 (Fax) E-mail Address - cvas901@gmail.com

		। पशुधनं नित्यं सर्वलोकोपका
	type) confirming to IS 8309 -1993 & IS 8337-1976 duly crimped with crimping tool, PVC tape etc of following size.All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR .	
VI.	2 core 4mm ² PVC Aluminium Cable	80mtr.
	Please Quote Make	
	Make-Havells, RR kable, Polycab, Finolex or equilvelent as per ISI Approved	
	Providing & Laying P.V.C. / XLPE insulated & P.V.C. sheathed Un-Arrmoured	
	Aluminium cable confirming to IS:1554 P-I / IS :7098 P - I of 1.1 KV with H4- Grade electrolytic aluminium conductor confirming to IS 8130 of purity >99.6 %, Inner / outer sheath confirming to IS:5831 in existing RCC /	
	Hume / Stoneware / PVC pipe/ open duct/cable trench / Cable tray (with cable tie) including testing etc.	
VII.	4 core 10mm ² PVC	80mtr.
	Aluminium Cable	
	Make-Havells, RR kable, Polycab, Finolex or equilvelent as per ISI Approved	
	Please Quote Make	
	supply Fixing of P.V.C. / XLPE insulated & P.V.C. sheathed Arrmoured Aluminium cable confirming to IS:1554 P-I / IS :7098 P - I of 1.1	
	KV with H4- Grade electrolytic aluminium conductor confirming to IS 8130 of purity >99.6 %,	
	Inner / outer sheath confirming to IS:5831 in existing RCC / Hume / Stoneware / PVC pipe/ open duct/cable trench / Cable tray (with cable tie) including testing etc.	
A		
AENCE)		

Bye

DEAN



Ph.No. 0151 - 2204123(O) 2205123 (Fax) E-mail Address - cvas901@gmail.com

	E-mail Address - cvasso r@gmai		यं सर्वलोकोपकार
	Supply and erection of Galvanized Iron pole with galvanizing		
	done in single dipping (Average coating		
	thickness Minimum 65 Microns) continuously tapered poles		
	having Octagonal / Circular cross-sections		
	designed to withstand the maximum wind speed as per IS 875,		
	The pole shaft shall be made from sheet		
	steel (HT Steel Conforming to grade S355JO) and confirming to		
	BSEN 10025 and shall be continuously		
	tapered with single longitudinal welding. There shall not be any		
	circumferential welding. The welding of		
	pole shaft shall be done by Submerged Arc Welding (SAW)		
	process. pole shafts shall be provided with the		
	rigid flange plate of suitable thickness (Fe 410 conforming to IS		
	226 / IS 2062) with provision for fixing 4		
	no. foundation bolts, This base plate shall be fillet welded to		
	the pole shaft at two locations i.e. from		
	inside and outside. The octagonal Poles shall have lockable door		
	of approximate 500 mm length at the		
	elevation of 500 mm from the Base plate with bakelite sheet		
	having 6A SP MCB and 16 sqmm stud type		
	connector (4 nos) inside the pole at door opening for cable		
	connection of following length and dimension		
	as per table P-01 with base plate and foundation bolt on the		
	Existing cement concrete foundation.		1
IX.	Foundation of pole	11 Nos	
	Providing and Laying RCC Foundation for Octagonal / Conical		
	Street Light poles,		
	A) Evenuation of Dit for Foundation Size unto required doubt		
	A) Excavation of Pit for Foundation Size upto required depth from Ground level		
	B) Dressing of Pit and Dry stone pitching 200 mm thick		
	including supply of stones and preparing surface complete.		
	C) Providing and laying in position cement concrete of M-10		
	grade of 75 mm thickness		
	D) Reinforcement for R.C.C. work with TMT bars including		
	straightening, cutting, bending, placing in		
	position and binding all complete.		
	E) Centring and shuttering including strutting , propping etc.		
	and removal of form work for Footing and		
	Pedestal		
	F) Providing & Fixing of 2 no. Required Size PLB HDPE Pipe &		
	Foundation Bolt with template as per OEM		
	Recommendations.		
	G) Providing and Laying Reinforce cement Concrete of M-25		
	grade in Footing and Pedestal including		
is .			
AFN(E)	Curing the foundation for 7 days.		
AEN (E)	Curing the foundation for 7 days. H) Providing and Fixing Nosing Angle 40 mm x 40 mm x 6mm		
AEN(E) X.	Curing the foundation for 7 days.	11 Nos.	

DEAN

Ph.No. 0151 - 2204123(O) 2205123 (Fax) E-mail Address - cvas901@gmail.com



fixing of LT cubical panel with Base of 100x50x5mm foundation chenel & foundation bolts

नोटः-

- 1. निविदादाता द्वारा निविदा शुल्क, RISL प्रकिया शुल्क, बोली प्रतिभूति राशि का डी.डी. / बैंकर चैक एवं फर्म पूर्व में कभी ब्लैक लिस्टेड घोषित नही की गई है एंव फर्म के विरूद्ध पूर्व में कभी पुलिस कार्यवाही नही की गई है, न ही माननीय न्यायालय द्वारा कभी दंडित किया गया है और न ही किसी प्रकार की कोई विजिलेंस जॉच लंबित है इस बाबत सौ रूपये कि स्टाम्प पर शपथ–पत्र नोटरी करवाकर निर्धारित निविदा की अन्तिम तिथि व समय तक अधोहस्ताक्षर कार्यालय में जमा/प्राप्त हो जाने चाहिए अन्यथा निविदा स्वीकार योग्य नहीं होगी ।
- 2. RISL प्रकिया शुल्क की डी०डी० "Managing Director Rajcomp info Services Ltd." के नाम से जयपुर देय होगी तथा निविदा शुल्क व बोली प्रतिभूति राशि की डी०डी० / बैकर चैक अधिष्ठाता, पशु चिकित्सा एंव पशु विज्ञान महाविद्यालय, बीकानेर के नाम से देय होनी चाहिये।
- 3. कम सख्या 3,4,6,12,13,14,16 व 17 तक की पात्रता पूरी करने वाले योग्य निविदादाता ही तकनिकी बिड (प्रि–क्वालीफिकेशन) में सफल माने जावेगी उन्ही की वित्तिय बिड खोली जावेगी। तकनिकी बिड (प्रि–क्वालीफिकेशन) योग्य नही पाये जाने वाले निविदादाता की वित्तिय बिड नही खोली जावेगी। निविदादाता द्वारा उक्त निविदा तय प्रपत्र निर्धारित अवधि में ऑनलाईन ही भरनी होगी, जिसके अभाव में निविदा स्वतः ही निरस्त मानी जायेगी। वित्तिय बिड खोलने की तिथि अलग से सूचित कर दी जावेगी।

अधिष्ठाता


मै/हम पशु चिकित्सा एवं पशु विज्ञान महाविद्यालय, बीकानेर द्वारा जारी की गई ई—निविदा सूचना स.08/2022–23 में वर्णित तथा सलंग्न निविदा शर्तो की पालना करने हेतू सहमत है ।

AENCE)

निविदादाता के हस्ताक्षर मय मोहर

B se It

Affressional pole Standard Dimensions a Mrts. F Mrts. J J Mrts. <th c<="" th=""></th>	
··· I Mitrs. 5 Mitrs. 6 Mitrs. 7 Mitrs. 8 Mitrs. 9 Mitrs. 10 Mitrs. 11 Mitrs. 0025 BS EN 10025	
0025 BS EN 10025 BS Microns Ga Vanized 0n1 3 mm 3 mm 3 mm 3 mm 3 mm 3 mm 3 mm 3 mm 3 mm 3 mm 3 mm 3 mm 3 mm 3 mm 3 mm 3 mm 3 mm 1 3 mm	
zedGalvanizedGalvanizedGalvanizedGalvanizedGalvanizedGalvanizedGalvanizedons65 Microns65 Microns65 Microns65 Microns65 Microns65 Microns65 Micronsons65 Microns65 Microns65 Microns65 Microns65 Microns65 Microns65 Micronsons12 mm3 mm3 mm3 mm3 mm3 mm3 mm12 mm12 mm12 mm12 mm20 mm20 mm20 mmn130 mm135 mm135 mm135 mm200 mm200 mmnm4 x 450 mm4 x 450 mm4 x 750 mm4 x 750 mm4 x 750 mmnm4 x 450 mm200 mm200 mm200 mm320 mmnm16 mm16 mm200 mm200 mm25 mm55 mm16 mm16 mm16 mm20 mm20 mm25 mm55 mm	
ons 65 Microns 20 mm	
3 mm 3 mm <th< td=""></th<>	
12 mm 12 mm 12 mm 16 mm 16 mm 20 mm 20 mm 20 mm 20 mm 130 mm 130 mm 135 mm 135 mm 135 mm 200 mm <	
130 mm 130 mm 135 mm 135 mm 135 mm 200 mm 200 mm 200 mm 65 mm 70 mm 70 mm 70 mm 70 mm 90 mm 100 mm mm 4 x 450 mm 70 mm 7 x 750 mm 4 x 750 mm 30 mm 320 mm mm 4 x 450 mm 2 x 600 mm 4 x 750 mm 4 x 750 mm 320 mm nm 2 x 450 mm 2 x 600 mm 2 x 750 mm 3 x 750 mm 3 x 750 mm nm 4 x 450 mm 2 x 600 mm 2 x 750 mm 2 x 750 mm 2 x 750 mm nu 2 x 450 mm 2 x 750 mm 2 x 750 mm 2 x 750 mm 2 x 750 mm nu 2 x 450 mm 2 x 750 mm 2 x 750 mm 2 x 750 mm 2 x 750 mm nu 2 x 750 mm nu 2 x 750 mm 2 x 750 mm 2 x 750 mm 2 x 750 mm 2 0 mm nu 2 0 mm nu	
65 mm 70 mm 70 mm 90 mm 100 mm mm 4 x 450 mm 4 x 450 mm 4 x 750 mm 4 x 750 mm 4 x 750 mm mm 4 x 450 mm 4 x 450 mm 4 x 750 mm 4 x 750 mm 4 x 750 mm mm 200 mm 200 mm 220 mm 225 mm 240 mm 320 mm 16 mm 16 mm 16 mm 20 mm 20 mm 20 mm 25 mm 25 mm single &	
mm 4 x 450 mm 4 x 450 mm 4 x 450 mm 4 x 750 mm 4 m 7 7 mm 4 m 7 7 mm 4 mm	
200 mm 200 mm 200 mm 200 mm 220 mm 225 mm 240 mm 310 mm 320 mm 16 mm 16 mm 16 mm 16 mm 20 mm 20 mm 25 mm 25 mm rm 5ingle & 5ingle & 5ingle & 5ingle & 5ingle & 5ingle &	
16 mm 16 mm 16 mm 16 mm 20 mm 20 mm 25 mm 25 mm Single & Single & Single & Single & Single & 5 mm Vm Double Arm Double Arm <td< td=""></td<>	
Single & Sin	
AENICE) PAJOUAS	



OCTAGONAL / CONICAL POLE FOUNDATION DRAWING

AENCE) RAJUVAS BKM Table P-04

Ph.No. 0151 - 2204123(O) 2205123 (Fax) E-mail Address - cvas901@gmail.com



ई-निविदा सूचना सं0 08 / 2022-23 की शर्ते

- 1. जिस निविदादाता की Undergroud Cable work की दर कम व वाजिब होगी उसे ही स्वीकार किया जायेगा ।
- ई-प्रोक्योरमेन्ट के माध्यम से ई-निविदा (तकनिकी व वित्तिय) अपलोड करने की अन्तिम दिनांक 03.03.2023 को सुबह 11.30 बजे तक होगी
- 3. Undergroud Cable का ब्रांड(make) तकनीकी बिड में अंकित करना आवश्यक होगा अन्यथा निविदा स्वीकार योग्य नहीं होगी ।
- 4. Undergroud Cable work की दर 'G' Schedule में प्रस्तुत करनी होगी । उक्त दरें जीएसटी, पैकिंग,परिवहन खर्च, इत्यादि सम्मलित कर देनी होगी । अतः इस हेतु कोई अतिरिक्त भुगतान फर्म को नहीं किया जावेगा ।
- फर्म के बिल में से नियमानुसार जीएसटी एंव आयकर की कटौती की जावेगी ।
- 6. भुमिगत केबल डालने हेतु केबल ट्रेंच निर्माण कार्य के दौरान विश्वविद्यालय परिसर में सडक व अन्य किसी पक्के निर्माण की टूट–फूट होने पर उसकी मरम्मत का कार्य फर्म को करना होगा जिसका अलग से किसी भी तरह का भुगतान फर्म को नही किया जावेगा।
- 7. लेबर सेंस व रॉयलटी की कटौती राजकीय नियमानुसार फर्म के भुगतान विपत्र से की जावेगी।
- ई--निविदा (तकनिकी व वित्तिय) प्रस्तुत करने की अन्तिम दिनांक 08.03.2023 को सुबह 11.30 बजे तक होगी ।
- 9. ई--निविदा की तकनिकी बिड 08.03.2023 को दोपहर 03.30 बजे गठित कमेटी द्वारा खोली जायेगी ।
- 10. तकनिकी बिड (प्रि-क्वालीफिकेशन) में सफल होने वाले निविदादाताओं की ही वित्तिय बिड कमेटी द्वारा खोली जावेगी।
- 11. बिना निविदा शुल्क व बोली प्रतिभूती, RISL प्रक्रिया शुल्क इत्यादि के निविदा पर कोई विचार नही किया जायेगा ।

12. ई--निविदा की सामान्य निविदा शर्ते व Annexure a to d, SR 11, Annexure -फर्म पूर्व में कभी ब्लैक लिस्टेड घोषित नही की गई है

DEAN

Signature of the Bidder

ENCE



Ph.No. 0151 - 2204123(O) 2205123 (Fax) E-mail Address - cvas901@gmail.com

एंव फर्म के विरूद्ध पूर्व में कभी पुलिस कार्यवाही नही की गई है, न ही माननीय न्यायालय द्वारा कभी दंडित किया गया है और न ही किसी प्रकार की कोई विजिलेंस जॉच लंबित है इस बाबत सौ रूपये कि स्टाम्प पर शपथ-पत्र नोटेरी करवाकर, निविदा शुल्क,बोली प्रतिभूती व RISL प्रकिया शुल्क इत्यादि तकनीकि निविदा के साथ प्रस्तुत करना होगा ।

- 13. ई--निविदा का निविदा शुल्क, बोली प्रतिभूति रेखांकित बैकर चैक या डीडी द्वारा भुगतान करना होगा, जो कि "अधिष्ठाता,पशु चिकित्सा एवं पशु विज्ञान महाविधालय" बीकानेर के नाम पर देय होनी चाहिए अथवा निविदा शुल्क, बोली प्रतिभूति नगद कॉलेज केशियर का जमा करवाकर जमा रसीद की छाया प्रति प्रस्तुत करे। RISL प्रकिया शुल्क की डी0डी0 "Managing director Rajcomp Info Service Ltd."के नाम देय होगा।
- 14. Undergroud Cable work की बोली प्रतिभूति राशि व अनुमानित राशि निम्न प्रकार से है:--
 - (i) बोली प्रतिभूति राशि निविदा की अनुमानित लागत की दो प्रतिशत के हिसाब से राशि रू0 25620/- होगी । राजस्थान के लघु उद्योगों की दशा में यह प्रदाय के लिए मात्रा(निविदा की अनुमानित लागत) का 0.5 प्रतिशत होगी और लघू उद्योगों से भिन्न रूग्ण उद्योगों की दशा में जिनके मामले औधोगिकी एंव पुननिमार्ण बोर्ड के समक्ष लम्बित है, यह बोली के मूल्य का 1.0 प्रतिशत होगी । इसके लिए आरटीपीपी नियम 2013 में वर्णित प्रावधानों के अनुसार कागजात प्रस्तुत करने होगे ।
 - (ii) अनुमानित लागत- रू0. 12.81 लाख
- 15. निविदादाता को सप्लाई / कार्य आदेश जारी किया जायेगा तथा आदेशानुसार Undergroud Cable work का कार्य 10 दिन के अन्दर पूर्ण करना होगा ।
- 16. जिस निविदादाता को Undergroud Cable work की सप्लाई / कार्य हेतु आदेश दिया जायेगा उसे नियमानुसार performance security जमा करानी होगी । निविदा के साथ जमा कराई गई

Byp

Signature of the Bidder

HEN (E)

DEAN

Ph.No. 0151 - 2204123(O) 2205123 (Fax) E-mail Address - cvas901@gmail.com

बोली प्रतिभूति को performance security में समायोजित कर ली जावेगी, जो कि सप्लाई आदेश के अनुसार Undergroud Cable work पूर्ण करने व उक्त निविदा की अवधि समाप्त होने पर एव सन्तोषजनक रिपोर्ट प्राप्त होने पर लौटा दी जावेगी ।

- 17. यदि निविदादाता आदेश के अनुसार उक्त आईटमस की सप्लाई/कार्य नही कर सका तो उक्त Undergroud Cable work अन्य व्यापारी/फर्म से कार्य करवा लिया जायेगा। Undergroud Cable work अन्य व्यापारी/फर्म से कार्य करवाने पर यदि विश्वविद्यालय को अधिक भुगतान करना पड़ा तो अधिक भुगतान की गई राशि performance security के रूप में जमा राशि में से वसूल कर ली जावेगी ।
- 18. बोली प्रतिभूति एवंम performance security निम्न अवस्थाओं में जब्त कर ली जावेगी :-

अ. यदि निविदादाता द्वारा Undergroud Cable work निर्धारित समय में सप्लाई / कार्य नहीं किया जाता है।

ब. यदि निविदादाता के विषय में अन्य कोई शिकायत रही या आदेश का

उल्लघंन किया गया ।

स. निर्धारित अवधि में अनुबंध नही करता है ।

- 19. ई—निविदा स्वीकृत आदेश तथा सप्लाई अवधि आदि में परिवर्तन का अन्तिम व पूर्ण अधिष्ठाता पशु चिकित्सा और पशु विज्ञान महाविद्यालय, बीकानेर को होगा । यह निविदादाता को मान्य होगा ।
- 20. सप्लाई किये गये Undergroud Cable work को गुणवत्ता का मिलान करने पर गुणवत्ता निम्न पायी गई तो सामग्री को अस्वीकार कर दिया जायेगा इस प्रकार अस्वीकार सामग्री को तुरन्त स्टोर से हटानी होगी ।
- 21. सप्लाई / कार्य अवधि / तादात कम या अधिक करने का अधिकार अधिष्ठाता पशु चिकित्सा और पशु विज्ञान महाविद्यालय, बीकानेर को होगा ।
- 22. जिस निविदादाता की दरें मंजूर होगी उस फर्म को नियमानुसार नॉन ज्यूडिसियल स्टाम्प पर स्वीकृति पत्र प्राप्ति के पन्द्रह दिन के अन्दर अनुबंध करना होगा व साथ ही नियमानुसार performance

GEN(E)

Signature of the Bidder

DEAN



Ph.No. 0151 - 2204123(O) 2205123 (Fax) E-mail Address - cvas901@gmail.com

security जमा करानी होगी अन्यथा बोली प्रतिभूति राशि जब्त करने की कार्यवाही की जायेगी ।

- 23. निविदा पर खरीद किये जाने वाले सामान की दर अनुकुल नही होने पर निगोशियसन द्वारा निश्चय किया जा सकता है । उस पर किसी फर्म को कोई एतराज नहीं होगा ।
- 24. उपरोक्त निविदा की दरें 31.03.2023 तक मान्य होगी तथा आवश्यकतानुसार निविदादाता की सहमति से बढाई जा सकेगी ।
- 25. फर्म का जीएसटी में पंजीकरण होने का प्रमाण पत्र,जीएसटी चालान/जीएसटी रिर्टन की छाया प्रति एवं आयकर पैन न. की छाया प्रति तकनिकी बिड के साथ प्रस्तुत करनी होगी।
- 26. किसी राजकीय विभाग / विश्वविद्यालय में पंजीकृत होने के प्रमाण पत्र की प्रति तकनिकी बिड के साथ अपलोड करनी होगी।
- 27. अधिष्ठाता न्यूनतम दर वाली निविदा को स्वीकार करने के बाध्य नही है।
- 28. किसी तरह के वाद-विवाद का न्यायायिक क्षेत्र बीकानेर होगा।
- 29. सप्लाई विलंब से करने पर नियमानुसार परिनिर्धारित हानि की वसूली की जायेगी ।
- 30. निविदादाता द्वारा ई—निविदा प्रपत्र विभाग की बेवसाईट एवं स्टेट पोर्टल की वेबसाईट www.rajuvas.org www.sppp.raj.nic.in , http://eproc.rajasthan.gov.in से 08.03.2023 को सुबह 11.30 बजे तक दिनांक 23.02.2023 से डाउनलोड सकते 쿩 तथा ई--निविदा कर http://eproc.rajasthan.gov.in से दिनांक 23.02.2023 से 08. 03.2023 को सुबह 11.30 बजे तक अपलोड कर सकते है । ई--निविदा शुल्क की राशि रू० 1000-/ पृथक से डिमाण्ड ड्राफ्ट/नगद, बोली प्रतिभूती, RISL प्रक्रिया शुल्क व फर्म पूर्व में कभी ब्लैक लिस्टेड घोषित नही की गई है एंव फर्म के विरूद्ध पूर्व में कभी पुलिस कार्यवाही नही की गई है, न ही माननीय न्यायालय द्वारा कभी दंडित किया गया है और न ही किसी प्रकार की कोई विजिलेंस जॉच लंबित है इस बाबत सौ रूपये कि स्टाम्प पर शपथ-पत्र नोटरी करवाकर 08.03.2023 को सुबह 11.30 बजे तक अधोहस्ताक्षर कार्यालय में जमा करानी होगी ।

ME

Signature of the Bidder

Ph.No. 0151 - 2204123(O) 2205123 (Fax) E-mail Address - cvas901@gmail.com



- 31. बोली प्रतिभूति / performance security पर कोई ब्याज देय नहीं होगा ।
- 32. उपरोक्त शर्तों के अलावा राजस्थान पशु चिकित्सा एवं पशु विज्ञान विश्वविधालय, बीकानेर की सामान्य निविदा शर्ते व आरटीपीपी एक्ट 2012 व नियम 2013 व Pw F&AR की शर्ते भी लागू होंगे ।
- 33. तकनिकी ई—निविदा के साथ इस कार्यालय द्वारा जारी निविदा शर्तो के प्रत्येक पृष्ठ पर निविदादाता द्वारा हस्ताक्षर कर अन्तिम तिथि 08.03. 2023 को सुबह 11.30 बजे तक प्रस्तुत करनी होगी ।
- 34. ई—निविदा के संबंध में किसी भी प्रकार की <u>जानकारी/स्पष्टीकरण</u> निविदा प्रकाशन के 7 दिवस में किसी भी कार्य दिवस व कार्यालय समय पर अधेहस्ताक्षरकर्ता कार्यालय से प्राप्त की जा सकती हैं।

35. अपिल अधिकारी-

- 1. प्रथम अपिल अधिकारी- कुल सचिव, राजुवास, बीकानेर ।
- 2. द्वितिय अपिल अधिकारी- माननीय कुलपति, राजुवास, बीकानेर

अधिष्ठाता

नोट— मैने/हमने ई—निविदा की सभी शर्ते पढली है और समझली है और मै/हम इस शर्तो पर पूर्ण रूप से सहमत है ।

निविदादाता के हस्ताक्षर मय

मोहर

Annexure A : Compliance with the Code of Integrity and No Conflict of Interest

Any person participating in a procurement process shall -

- (a) not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in procurement process or to otherwise influence the procurement process;
- (b) not misrepresent or omit that misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation;
- (c) not indulge in any collusion, Bid rigging or anti-competitive behaviour to Impair the transparency, fairness and progress of the procurement process;
- (d) not misuse any information shared between the procuring Entity and the Bidders with an intent to gain unfair advantage in the procurement process;
- (e) not indulge in any coercion including impairing or harming or threatening to do the same, directly or indirectly, to any party or to its property to influence the procurement process;
- (f) not obstruct any investigation or audit of a procurement process;
- (g) disclose conflict of interest, if any; and
- (h) disclose any previous transgressions with any Entity in India or any other country during the last three years or any debarment by any other procuring entity.

Conflict of Interest:-

The Bidder participating in a bidding process must not have a Conflict of Interest.

A Conflict of Interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.

- i. A Bidder may be considered to be in Conflict of Interest with one or more parties in a bidding process if, including but not limited to:
 - a. have controlling partners/ shareholders in common; or
 - b. receive or have received any direct or indirect subsidy from any of them; or
 - c. have the same legal representative for purposes of the Bid; or
 - d. have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the Bid of another Bidder, or influence the decisions of the Procuring Entity regarding the bidding process; or

ENCI e. the Bidder participates in more than one Bid in a bidding process.

Participation by a Bidder in more than one Bid will result in the disqualification of all Bids in which the Bidder is involved. However, this does not limit the inclusion of the same subcontractor, not otherwise participating as a Bidder, in more than one Bid; or

- f. the Bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the Goods, Works or Services that are the subject of the Bid; or
- g. Bidder or any of its affiliates has been hired (or is proposed to be hired) by the Procuring Entity as engineer-in-charge/ consultant for the contract.

Date: Place:

AENCE)

Signature of bidder Name : Designation: Address:

Annexure B : Declaration by the Bidder regarding Qualifications Declaration by the Bidder

In relation to r	ny/our Bid submitted	to for procurement
of		in response to their Notice Inviting
Bids No	Dated	I/we
		hereby declare under
Section 7 of R	ajasthan Transparency	in Public Procurement Act, 2012, that:

- 1. I/we possess the necessary professional, technical, financial and managerial resources and competence required by the Bidding Document issued by the Procuring Entity;
- 2. I/we have fulfilled my/our obligation to pay such of the taxes payable to the Union and the State Government or any local authority as specified in the Bidding Document;
- 3. I/we are not insolvent, in receivership, bankrupt or being wound up, not have my/our affairs administered by a court or a judicial officer, not have my/our business activities suspended and not the subject of legal proceedings for any of the foregoing reasons;
- 4. I/we do not have, and our directors and officers not have, been convicted of any criminal offence related to my/our professional conduct or the making of false statements or misrepresentations as to my/our qualifications to enter into a procurement contract within a period of three years preceding the commencement of this procurement process, or not have been otherwise disqualified pursuant to debarment proceedings;
- 5. I/we do not have a conflict of interest as specified in the Act, Rules and the Bidding Document, which materially affects fair competition;

Date: Place:

ICE: AENICE) B B

Signature of bidder Name : Designation: Address:

Annexure C : Grievance Redressal during Procurement Process

The designation and address of the First Appellate Authority is The Registrar, RAJUVAS, Bikaner

The designation and address of the Second Appellate Authority is

The Hon'ble Vice- Chancellor, RAJUVAS, Bikaner

(1) Filing an appeal

If any Bidder or prospective bidder is aggrieved that any decision, action or omission of the Procuring Entity is in contravention to the provisions of the Act or the Rules or the Guidelines issued there under, he may file an appeal to First Appellate Authority, as specified in the Bidding Document within a period of ten days from the date of such decision or action, omission, as the case may be, clearly giving the specific ground or grounds on which he feels aggrieved:

Provided that after the declaration of a Bidder as successful the appeal may be filed only by a Bidder who has participated in procurement proceedings: Provided further that in case a Procuring Entity evaluates the Technical Bids before the opening of the Financial Bids, an appeal related to the matter of Financial Bids may be filed only by a Bidder whose Technical Bid is found to be acceptable.

- (2) The officer to whom an appeal is filed under para (1) shall deal with the appeal as expeditiously as possible and shall endeavour to dispose it of within thirty days from the date of the appeal.
- (3) If the officer designated under para (1) fails to dispose of the appeal filed within the period specified in para (2), or if the Bidder or prospective bidder or the Procuring Entity is aggrieved by the order passed by the First Appellate Authority, the Bidder or prospective bidder or the Procuring Entity, as the case may be, may file a second appeal to Second Appellate Authority specified in the Bidding Document in this behalf within fifteen days from the expiry of the period specified in para (2) or of the date of receipt of the order passed by the First Appellate Authority, as the case may be.

(4) Appeal not to lie in certain cases

No appeal shall lie against any decision of the Procuring Entity relating to the following matters, namely:-

(a) determination of need of procurement;

- (b) provisions limiting participation of Bidders in the Bid process;
- (c) the decision of whether or not to enter into negotiations;

(d) cancellation of a procurement process;

(e) applicability of the provisions of confidentiality.

B

AEN(E)

(5) Form of Appeal

(a) An appeal under para (1) or (3) above shall be in the annexed Form along with as many copies as there are respondents in the appeal.

(b) Every appeal shall be accompanied by an order appealed against, if any, affidavit verifying the facts stated in the appeal and proof of payment of fee.(c) Every appeal may be presented to First Appellate Authority or Second Appellate Authority, as the case may be, in person or through registered post or authorised representative.

(6) Fee for filing appeal

(a) Fee for first appeal shall be rupees two thousand five hundred and for second appeal shall be rupees ten thousand, which shall be non-refundable.

(b) The fee shall be paid in the form of bank demand draft or banker's cheque of a Scheduled Bank in India payable in the name of The Comptroller, RAJUVAS, Bikaner.

(7) Procedure for disposal of appeal

(a) The First Appellate Authority or Second Appellate Authority, as the case may be, upon filing of appeal, shall issue notice accompanied by copy of appeal, affidavit and documents, if any, to the respondents and fix date of hearing.

(b) On the date fixed for hearing, the First Appellate Authority or Second Appellate Authority, as the case may be, shall,-

(i) hear all the parties to appeal present before him; and

(ii) peruse or inspect documents, relevant records or copies thereof relating to the matter.

(c) After hearing the parties, perusal or inspection of documents and relevant records or copies thereof relating to the matter, the Appellate Authority concerned shall pass an order in writing and provide the copy of order to the parties to appeal free of cost.

(d) The order passed under sub-clause (c) above shall also be placed on the State Public Procurement Portal.

Date: Place:

AENCE) B

Signature of bidder Name : Designation: Address:

FORM No. 1

[See rule 83]

Memorandum of Appeal under the Rajasthan Transparency in Public Procurement Act, 2012

Appeal Noof Before the (First / Second Appellate Authority) 1. Particulars of appellant:

(i) Name of the appellant:

(ii) Official address, if any:

(iii) Residential address:

2. Name and address of the respondent(s):

(i)

(ii)

(iii)

3. Number and date of the order appealed against

and name and designation of the officer / authority

who passed the order (enclose copy), or a

statement of a decision, action or omission of

the Procuring Entity in contravention to the provisions

of the Act by which the appellant is aggrieved:

4. If the Appellant proposes to be represented

by a representative, the name and postal address

of the representative:

5. Number of affidavits and documents enclosed with the appeal:

6. Grounds of appeal:

(Supported by an affidavit)

 7. Prayer:

 Place

 Date

AENCE) B_ g

Appellant's Signature

Annexure D : Additional Conditions of Contract 1. Correction of arithmetical errors


Provided that a Financial Bid is substantially responsive, the Procuring Entity will correct arithmetical errors during evaluation of Financial Bids on the following basis:

- i. if there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the Procuring Entity there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;
- ii. if there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and
- iii. if there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (i) and (ii) above.

If the Bidder that submitted the lowest evaluated Bid does not accept the correction of errors, its Bid shall be disqualified and its Bid Security shall be forfeited or its Bid Securing Declaration shall be executed.

2. Procuring Entity's Right to Vary Quantities

- (i) At the time of award of contract, the quantity of Goods, works or services originally specified in the Bidding Document may be increased or decreased by a specified percentage, but such increase or decrease shall not exceed twenty percent, of the quantity specified in the Bidding Document. It shall be without any change in the unit prices or other terms and conditions of the Bid and the conditions of contract.
- (ii) If the Procuring Entity does not procure any subject matter of procurement or procures less than the quantity specified in the Bidding Document due to change in circumstances, the Bidder shall not be entitled for any claim or compensation except otherwise provided in the Conditions of Contract.



(iii)

13 8

In case of procurement of Goods or services, additional quantity may be procured by placing a repeat order on the rates and conditions of the original order. However, the additional quantity shall not be more than 25% of the value of Goods of the original contract and shall be within one month from the date of expiry of last supply. If the Supplier fails to do so, the Procuring Entity shall be free to arrange for the balance

supply by limited Bidding or otherwise and the extra cost incurred shall be recovered from the Supplier.

3. Dividing quantities among more than one Bidder at the time of award (In case of procurement of Goods)

As a general rule all the quantities of the subject matter of procurement shall be procured from the Bidder, whose Bid is accepted. How- ever, when it is considered that the quantity of the subject matter of procurement to be procured is very large and it may not be in the capacity of the Bidder, whose Bid is accepted, to deliver the entire quantity or when it is considered that the subject matter of procurement to be procured is of critical and vital nature, in such cases, the quantity may be divided between the Bidder, whose Bid is accepted and the second lowest Bidder or even more Bidders in that order, in a fair, transparent and equitable manner at the rates of the Bidder, whose Bid is accepted.

Date: Place:

AEN (E) B_J

Signature of bidder Name : Designation: Address:

(on NJS Rs. 100/- dully attested by Notary)

शपथ पत्र

जो कि शपथ पूर्वक घोषणा करता हूँ किः-

- 1. यह है कि मै/हम उक्त पत्ते के मूल निवासी है ।
- मेरी / हमारी फर्म / संस्था किसी भी विभाग राजकीय / सार्वजनिक विभाग / उपकम से काली सूची में नहीं है ।
- मेरी / हमारी फर्म के विरुद्ध कोई राजकीय बकाया नहीं है तथा मेरी फर्म / संस्था निविदा की शर्तों का पूर्णतया पालन करेगी ।
- मेरी / हमारी फर्म द्वारा नियमों व शर्तों के उल्लघंन करने पर मेरी / हमारी फर्म पेनल्टी की भागी होगी ।

दिनांकः-

निविदादाता के हस्ताक्षर मय सील

AEN(E)

SR FORM-11 DECLARATION BY TENDERERS [See Rule 48 (vii)]

Annexure

I/We declare that I am/we are bonafide/Manufacturers/Whole Sellers/Sole distributor/ Authorised dealer/dealers/sole selling/Marketing agent in the goods/stores/equipments for which I/We have tendered. If this declaration is found to be incorrect then without prejudice to any other action that may be taken, my/our security may be forfeited in full and the tender if any to the extent accepted may be cancelled.

AENIG)

Signature of the tenderer

3 30

SR Form No. 16 (A) CONDITIONS OF BID AND CONTRACT FOR OPEN BID (See Rule 68)

Note: Bidders should read these conditions carefully and comply strictly while sending/submitting their Bids.

- 1 Bids must be enclosed in a properly sealed envelope according to the directions given in the Bid notice.
- 2 The Bidders shall be furnish a declaration in the SR FORM 11.

them will be sufficient discharge for any of the purpose of the contract.

- 3 (i) Any change in the constitution of the firm etc. shall be notified forth with by the contractor in writing to the purchase office and such change shall not relieve any former member of the firm etc., From any liability under the contract.
 (ii) No new partner/partners shall be accepted in the firm by the contractor in respect of the contract unless he/they agree to avoid by all its terms, conditions and deposit with the purchase officer a written agreement to this effect. The contractors receipt for acknowledgement or that of any partners subsequently accepted as above shall bind all of
- 4 GST Registration and Clearance Certificate: No dealer who is not registered under the GST Act prevalent in the State where his business is located shall Bid. The GST Registration Number should be quoted and a GST Clearance Certificate from the State Taxes officer of the circle concerned /GST return/GST challan shall be submitted without which the Bid is liable to rejection.
- 5 In case of offline, Bid forms shall be filled in ink or typed. No Bid filled in pencil shall be considered. The Bidder shall sign the Bid form at each page and at the end in token of acceptance of all the terms and conditions of the Bid.
- 6 Rates shall be mentioned both in words and figures. There should not be errors and/ or overwriting. Corrections if any, should be made clearly and initialed with dates. The rates should mentions element of the Rajasthan State GST and Central GST separately.
- 7 All rates quoted must be F.O.R. destination and should include all incidental charges except Central/Rajasthan GST Tax which should be shown separately.
- 8 The approved Supplier shall be deemed to have carefully examined the conditions, Specifications, size, make and drawings, etc., of the goods to be supplied. If he has any doubts as to the meaning of any portion of the these conditions or of the specifications, drawing etc., he shall, before signing the contract refer the same to the Purchase Officer and get clarifications.
- 9 The contractor shall not assign or sub-let his contract or any substantial part there, of to other agency.

10 Inspection :-

(a) The purchase officer or his duly authorized representative shall at all reasonable time have access to the suppliers premises and shall have the power at all reasonable time to inspect and examine the materials and workmanship of the goods/equipment/machineries during manufacturing process or after wards as may he decides.

(b) The Bidder shall furnish complete address of the premises of his office, go down and

92-

Signature of the bidder with stamp

workshop where inspection can be made together with name and address of the person who is to be contacted for the purpose. In case of those who have newly entered in business, a letter of introduction from their banker will be necessary.

- 11 The contract for the supply can be repudiated at any time by the Purchase Officer, if the supplies are not made to his satisfaction after giving an opportunity to the Bidder of being heard and recording of the reasons for repudiation.
- 12 If the Purchase Officer does not purchase any of the Bided articles or purchase less than the quantity indicated in the Bid form, the Bidder shall not be entitled to claim any compensation. (i)Remittance Charges on payment made shall be borne by the Bidder.

13 Insurance:

The successful bidder will be responsible for all kinds of claims (in case of accident, death etc. so the service providing person), if arises during contract period.

14 Payments:

- Advance payment will not be made except in rare and special cases. In cases of advance i. payment being made, it will be against proof of dispatch and to the extent as prescribed in financial powers by rail/reputed goods transport companies, etc, and prior inspection, if any. The balance, if any will be paid on receipt of the consignment in good condition with the certificate to that effect endorsed on the inspection not given to the Bidder.
- Unless otherwise agreed between the parties payment for the delivery of the stores will ii. be made on submission of bill in proper form by the Bidder to the Purchase Officer in accordance with GF & AR and all remittance changes will be borne by the Bidder.
- In case of disputed items, 10 to 25% of the amount shall be with held and will be paid iii. on settlement of the dispute.
- Payment in case of those goods which need testing shall be made only when such tests iv. have been carried out, test results received conforming to the prescribed specification.
- 15 (i) The time specified for delivery in the Bid forms shall be deemed to be the essence of the contract and the successful Bidder shall arrange supplies within the period on receipt of the firm order from the Purchase Officer.

(ii) Liquidated damages : in case of extension in the delivery period with liquidated damages, the recovery shall be made on the basis of following percentages of value of store which the Bidder has failed to supply :

- 1 (a) Delay up to one fourth period of the prescribed delivery period.
 - (b) Delay exceeding one fourth but not exceeding half of the prescribed delivery period. (c) Delay exceeding half but not exceeding three fourth of the prescribed delivery period. (d) Delay exceeding above three fourth of the prescribed delivery period.
- 2 Fraction of a day in reckoning period of delay in suppliers shall be eliminated if it less than half a day.
- 3 The maximum amount of liquidated damages shall be 10%.
- 4 If the suppliers require an extension of time in completion of contractual supply on account of Occurrence of any hindrance, he shall apply in writing to the authority which has placed the supply order, for the same immediately on occurrence of the hindrance but not after the stipulated date of completion of supply.
- 5 Delivery Period may be extended with or without liquidated damages if the delays in the supply of goods are on account of hindrance beyond the control of the Bidder.
- Recoveries: Recoveries of liquidated damages, short supply, breakage, rejected articles 16 shall ordinary be made from bills. Amount may also be with-held to the extent of short

8 9

5% 7.5%

2.5%

10%

AENCE)

supply, breakage, rejected articles and in case of failure in satisfactory replacement by the supplier along with amount of liquidated damages shall be recovered from his dues and security deposit available with the department. In case recovery is not possible, recourse will be taken under Rajasthan PDR Act or any other law in force.

- 17 If a Bidder imposes conditions which are in addition to or in conflict with the conditions mentioned herein, his Bid is liable to summary rejection. In any case none of such conditions will be deemed to have been accepted unless specifically mentioned in the letter of acceptance of Bid issued by the Purchase officer.
- 18 The Purchase Officer reserves the right to accept any Bid not necessarily the lowest, reject any Bid without assigning any reasons and accept Bid for all or anyone or more of the articles for which Bidder has been given or distribute items of stores to more than one firm/supplier.
- 19 The Bidder shall furnish the following documents at the time of execution of agreement: i. Attested copy of partnership deed in case of partnership firms.

ii Registration Number and year of registration in case partnership firm is registered with Registrar of firms.

iii Address of residence and office, telephone number in case of sole proprietorship. iv Registration issued by the Registrar of Companies in case of company.

- 20 If any dispute arise out of the contract with regard to the interpretation, meaning and breach of the terms the contact, the matter shall be referred to by the parties to head of the Department who will appoint his senior most deputy as the Sole Arbitrator of the dispute who will not be related to this department contract and his decision shall be final.
- 21 All legal proceedings, if necessary arise to institute may be any of the parties (University / Department or Contractor) shall have to be lodged in courts situated in Rajasthan and not elsewhere.

22 Interference with procurement process: -(1) Whoever-

a. Interferes with or influences any procurement process with the intention of securing any wrongful gain or undue advantage for any prospective bidder, or

- b. Interferes with the procurement process with the intention of causing any unfair disadvantage for any prospective bidder, or
- c. Engages in any action or lobbying, directly or indirectly, with the objective of unduly restriction fair competition, or
- d. Intentionally influences any procuring entity or any officer or employee thereof or willfully or fraudulently makes any assertion or representation that would restrict or constrain fair competition in any procurement process, or
- e. Engages a former officer or employee of a procuring entity as an employee, director, consultant, adviser or otherwise, within a period of one year after such former officer or employee was associated with a procurement in which the employer had an interest, or
- f. Engages in any form of bid-rigging, collusive bidding or anticompetitive behavior in the procurement process, or

AENCO

g. Intentionally breaches confidentially referred to in section 49 of the Act, for any undue gain, shall be punished with imprisonment for a term which may extend to five years

Signature of the bidder with stamp

se of

and shall also be liable to fine which may extend to fifty lakh rupees or ten per cent or the assessed value of procurement, whichever is less. (2) A bidder who-

- a. Withdraws from the procurement process after opening of financial bids.
- b. Withdraws from the procurement process after being declared the successful bidder.
- c. Fails to enter into procurement contract after being declared the successful bidder.
- d. Fails to provide performance security or any other document or security required in terms of the bidder documents after being declared the successful bidder, without valid grounds, shall in addition to the recourse available in the bidding documents or the contract be punished with fine which may extend to fifty lakh rupees or ten per cent of the assessed value of procurement whichever is less.
- 23 Vexatious appeals or complaints: Whoever intentionally files any vexatious frivolous or malicious appeal or complaint under this Act, with the intention of delaying or defeating any procurement or causing loss to any procuring entity or any other bidder shall be punished with fine which may extend to twenty lakh rupees or five per cent of the value of procurement, whichever is less.

24 Offences by companies: -

- i. Where an offences under this Act has been committed by a company, every person who at time the offence was committed was in charge of and was responsible to the company for the conduct of the business of the company as well as the company, shall be deemed to be guilty of having committed the offence and shall be liable to be proceeded against and punished accordingly. Provided that nothing contained in this sub-section shall render any such person liable for any punishment if he proves that the offence was committed without his knowledge or that he had exercised all due diligence to prevent the commission of such offence.
- ii. Notwithstanding anything contained in sub-section (1), where as offence under this Act has been committed by a company and it is proved that the offence has been committed with the consent or connivance of or is attributable to any neglect on the part of any director, manager, secretary or other officer shall also be deemed to be guilty of having committed such offence and shall be liable to be proceeded against and punished accordingly.

Explanation: - For the purpose of this section-

- (i) "company" means a body corporate and includes a limited liability partnership, firm, registered society or co-operative society, trust or other association of individuals, and
- (ii) "Director" in relation to a limited liability partnership or firm, means a partner in the firm.
- 25 Abetment of certain offences: Whoever abets an offence punishable under this Act, whether or not that offence is committed in consequence of that abetment, shall be punished with the punishment provided for the offence.

26 Debarment from bidding: -

- i. A bidder shall be debarred by the state Government if he has been convicted of offence-
 - (a) Under the prevention Corruption Act, 1988 (Central Act No. 49 of 1988), or
 - (b) Under the Indian penal Code, 1860 (Central Act No. 45 of 1860) or any other law for the time being in force, for causing any loss of life or property or causing a

AEN'E

SE D

threat to public health as part of execution of a public procurement contract.

- ii. A bidder debarred under sub-section (1) shall not be eligible to participate in a procurement process of any procuring entity for a period not exceeding three years commencing from the date on which he was debarred.
- iii. If a procuring entity finds that a bidder has breached the code of integrity prescribed in terms of section 11, it may debar the bidder for a period not exceeding three years.
- iv. where the entire bid security or the entire performance security or any substitute thereof, as the case may be, of a bidder has been forfeited by a procuring entity in respect of any procurement process or procurement contract, the bidder may be debarred from participating in any procurement process undertaken by the procuring entity for a period not exceeding three years.
- v. The State Government or a procuring entity, as the case may be, shall not debar a bidder under this section unless such bidder has been given a reasonable opportunity of being heard.
- 27 Purchase Preference:- 15% Purchase preference will be given to the goods produced or manufactured by small scale industries of Rajasthan over goods produced or manufactured by Industries outside Rajasthan as per Purchase of Stores (Preference to Industries of Rajasthan) Rules, 1995 and approved by Board. Purchase preference admissible to the PSUs of the state of Rajasthan and to the SSI of the state of Rajasthan together shall not exceed 25% (10% for PSUs and 15% of SSI units.) However these units will be required to participate in bidding process and match lowest price (L-1).
- 28 Qualification of bidders: In addition to the provisions regarding qualification of bidders as set out in section 7 of the Act
 - (a) The procuring entity shall disqualify a bidder if it finds at any time that-
 - (i) The information submitted, concerning the qualifications of the bidders, was false or Constituted a misrepresentation ; or
 - (ii) The information submitted, concerning the qualification of the bidder, was Materially inaccurate or incomplete; and

(b) The procuring entity may require a bidder, who was re-qualified, to demonstrate its qualifications again in accordance with the same criteria used to pre-qualify such bidder. The procurement entity shall disqualify any bidder that fails to demonstrate its qualifications again, if requested to do so. The procuring entity shall promptly notify each bidder requested to demonstrate its qualifications again as to whether or not the bidder has done so to the satisfaction of the procuring entity.

29 Eligibility of Bidder: -

(1). A bidder may be a natural person, private entity, government-owned or, where permitted in the bidding documents, any combination of them with a formal intent to enter into an agreement or under an existing agreement in the form of a joint Venture. In case of a joint Venture: -

(a) All parties to the joint venture shall sign the bid and they shall be jointly and severally liable; and.



(b) A Joint Venture shall nominate a representative who shall have the authority to conduct all business for and on behalf of any or all the parties of the joint venture during the bidding process. In the event the bid of Joint Venture is accepted, either they shall form a registered joint venture company/firm or otherwise all the parties to joint venture shall sign the Agreement.

- (2). A bidder should not have a conflict of interest in the procurement in question as stated in RTPP - 2013 rule 81 and the bidding documents. The procuring entity shall take appropriate action against the bidder in accordance with section 11 of the Act, and chapter IV of the Act, if it determines that a conflict of interest has flawed the integrity of any procurement process. All bidders found to have a conflict of interest shall be disqualified.
- (3). A bidder debarred under section 46 of Act, shall not be eligible to participate in any procurement process undertaken by:-
 - (a) Procuring entity, if debarred by the state government; and
 - (b) Any procuring entity, if debarred by such procuring entity.
- (4). In case of procurement of goods, bidder must be a manufacturer, distributors or bona-fide dealer in the goods and it shall furnish necessary proof for the same in the specified format. Where applicable, proof of authorization by the manufacture or country distributor in India, shall be enclosed.

Bid cycle of outer time frame for various procurement methods by one stage bidding S.No Stage of procurement Procurement Method Open competitive Bidding Limited Bidding and Single source procurement 1 2 3 4 1 Issue of bidding On the day of first publication of Notice documents **Inviting Bids** 2 Submission of bids (i) Thirty days, if estimated value of Seven days from issue procurement is more than Rs. 50 crores of Bidding documents / date of issue of and Twenty days, if the estimated value of procurement is upto Rs. 50 crores from clarifications / the date of first publication of Notice addendum. Inviting Bids. (ii) Where clarifications/ addendum are issued, at least fifteen days, if estimated value of procurement is more than Rs. 50 crores and 10 days, iof estimated value of procurement is upto Rs. 50 crores, from the date of issue of clarifications/ addendum. (iii) In case of International Competitive Bidding, the period of submission of bids shall be forty five days from the date of first publication of Notice Inviting Bids and at least twenty days from the date of issue of clarifications/addendum. 3 Technical bid opening Within one day of last day of submission Within one day of last of bids. day of submission of bids. Issue of letter of award 4 Within three days of approval of award Within three days of by the competent authority. approval of award by

30 Time frame for procurement process :-

(1). The time frame for one stage bidding shall be as under :-

Signature of the bidder with stamp

AENE

			the competent authority.
5	Execution of contract agreement	Within fifteen days of issue of letter of award or a period as specified in the bidding documents.	
6	Declaration of the bid results on State Public Procurement Portal and Procuring entity's website, if any		Within three days of issue of letter of acceptance.

Provided that, in appropriate cases, the procuring entity may, with the approval of the competent authority authorized by the State Government for the purpose, relax the above mentioned time frame of bid process

(2). A decision on acceptance or rejection of bids invited in a procurement process must be taken by the competent sanctioning authority within the period as given below, even if the period of validity may be more, from the date of opening of technical bids where two envelope system is followed, otherwise from the date of opening of financial bids. If the decision is not taken within the given time period by the concerned sanctioning authority, reasons of not taking decision within the given time period shall be specifically recorded by the competent sanctioning authority while taking its decision.

 Table

 Time schedule for decision on the bids by the competent authority

S. No.	Authority competent to take decision	Time allowed for decision 3	
1	2		
1	Head of Office or Executive Engineer	Twenty days	
2	Regional Officer or Superintending Engineer	Thirty Days	
3	Head of the Department or Chief Engineer/Additional Chief Engineer	Forty days	
4	Administrative Department concerned/ Finance Committee/ Board/Empowered Committee/ Empowered Board, etc.	Fifty days	

- Note: (1) The period specified above shall be inclusive of time taken in communication of acceptance of bid.
 - (2) If procuring entity is other than the departments of the State Government or its attached or subordinate offices, the concerned administrative department shall specify the equivalent authority competent to take decision on the bid.

AEN LE)

Conditions according to provisions of the Rajasthan Transparency Public Procurement Act, 2012 and Rules 2013.

31 Bid Security -:

- (1). In case of open competitive bidding, two stage bidding, rate contract, electronic reverse auction, bid security shall be 2% or as specified by the University of the estimated value of subject matter of procurement put to bid. In case of Small Scale Industries of Rajasthan, it shall be 0.5% of the quantities offered for supply and in cases of sick industries, other than small scale industries whose case are pending with Board of Industrial and Financial Reconstruction; it shall be 1% of the value of bid. Concessional bid security may be taken from registered bidders as specified by the State Government. Every bidder, if not exempted, participating in the procurement process shall be required to furnish the bid security as specified in the notice inviting bid. The bidder will have to submit the certificate issued by respective department for availing relaxation in bid security.
- (2). In lieu of bid security, a bid securing declaration shall be taken from Departments of the State Government and Undertakings, Corporations, Autonomous bodies, Registered Societies, Cooperative Societies which are owned or controlled or managed by the state Government and Government undertakings of the Central Government.
- (3). Bid security instrument of a bid securing declaration shall necessarily accompany the sealed bid.
- (4). Bid Security of a bidder lying with the procuring entity in respect of other bids awaiting decision shall not be adjusted towards bid security for the fresh bids. The bid security originally deposited may, however, be taken into consideration in case bids are re-invited.
- (5). The bid security may be given in the form of a banker's cheque or demand draft or bank guarantee, in specified format, of a scheduled bank. The bid security must remain valid thirty days beyond the original or extended validity period of the bid.
- (6). The bidding documents may stipulate that the issuer of the security and the confirmer, if any, of the bid security, as well as the form and terms of the bid security, must be acceptable to the procuring entity. In cases of International Competitive Bidding, the bidding documents may in addition stipulate that the bid security shall be issued by an issuer in India.
- (7). Prior to presenting a submission, a bidder may request the procuring entity to confirm the acceptability of proposed issuer of a bid security or of a proposed confirmer, if required. The procuring entity shall respond promptly to such a request.
- (8). The Bank guarantee presented as bid security shall be got confirmed from the concerned issuing bank. However, the confirmation of the acceptability of a proposed issuer or of any proposed confirmer does not preclude the procuring entity from rejecting the bid security on the ground that the issuer or the confirmer, as the case may be, has become insolvent or has otherwise ceased to be creditworthy.
- (9). The bid security of unsuccessful bidders shall be refunded soon after final acceptance of successful bid and signing of Agreement and submitting performance security.
- (10). The bid security taken from a bidder shall be forfeited in the followings cases, namely:
 - a) When the bidder withdraws or modifies its bid after opening of bids.
 - b) When the bidder does not execute the agreement, if any, after placement of supply / work order within the specified period.
 - c) When the bidder fails to commence the supply of the goods or service or execute work as per supply / work order within the time specified.
 - d) When the bidder does not deposit the performance security within specified period after the supply / work order is placed, and.
 - e) If the bidder breaches any provision of code of integrity prescribed for bidders specified in the Act and Chapter VI of these rules.

0

(11). In case of the successful bidder, the amount of bid security may be adjusted in arriving at the amount of the Performance Security, or refunded if the successful bidder furnishes the full amount of performance security.

13

AON(E)

- (12). The procuring entity shall promptly return the bid security after the earliest of the following events, namely:
 - a) The expiry of validity of bid security.
 - b) The execution of agreement for procurement and performance security is furnished by the successful bidder.
 - c) The cancellation of the procurement process, or
 - d) The withdrawal of bid prior to the deadline for presenting bids, unless the bidding documents stipulate that no such withdrawal is permitted.
- 32 Sale of Bidding documents: Bidding documents purchased by Principal of any concern may be used by its authorized sole selling agents/marketing agents/distributors/sub-distributors and authorized dealers or vice versa.
- **33** Validity: Bids shall remain valid for a period of 3 months from the date of opening of Bid. A bid valid for shorter period shall be rejected as non responsive.

34 Format and signing of bids:-

- 1. The bidder shall prepare one original set of the bidding documents called Bid and clearly mark it as "ORIGINAL" and if asked, the bidder shall submit additional copies of the bid in such number as specified in the bidding documents and clearly mark them as "COPY". In the event of any discrepancy between the original bid and its copies, the contents of the original bid shall prevail.
- 2. The original and all copies of the bid shall be typed or written in ink and its all the pages shall be signed by the bidder or a person duly authorized to sign on behalf of the bidder, in token of acceptance of all the terms and conditions of the bidding documents. This authorization shall consist of a written confirmation as specified in the bidding documents and shall be attached to the bid.
- 3. Any corrections in the bid such as interlineations, erasures, or overwriting shall be valid only if they are signed or initialed by the person signing the bid.
- 4. Similar procedure for signing of bids shall be adopted for Technical and Financial bids, if two part bids have been invited.

35 Sealing and marking of bids:-

- (1). Bidders may submit their bids by post or by hand but if so specified in the bidding documents, bidders shall submit their bids only electronically. Bidders submitting bids electronically shall follow the electronic bid submission procedure as specified on the State Public Procurement Portal.
- (2). Bids submitted by post or by hand shall enclose the original and each copy of the bid in separate sealed envelopes duly marked envelopes as "ORIGINAL" and "COPY". The envelopes containing the original and the copies shall then be enclosed in one single envelope.
- (3). The inner and outer envelopes shall:
 - a. bear the name and complete address along with telephone/mobile number of bidder
 - b. bear complete address of the procuring entity with telephone numbers, if any
 - c. bear the specific identification of the bidding process pursuant to Notice Inviting Bids and any additional Identification marks as specified in the bidding documents, and.
 - d. Bear a warning not to be opened before the time and date for bid opening in accordance with the Notice Inviting Bids.
- (4). If all envelopes are not scaled and marked as required, the procuring entity shall assume no responsibility about its consequences.
- (5). Similar procedure for sealing and making of bids shall be adopted for Technical and Financial bids, if two part bids have been invited.
 AEN(E)

AEN(E)

Signature of the bidder with stamp

36 Late Bids:- The person authorized to receive the bids shall not receive any bid that it submitted personally, after the time and date fixed for submission of bids. Any bid which arrives by post after the deadline for submission of bids shall be declared and marked as "Late" and returned unopened to the bidder by registered post.

37 Withdrawal, substitution and modification of bids:-

- 1 A bidder may withdraw, substitute, or modify its bid after it has been submitted by sending a written notice, duly signed by him or his authorized representative (authorization letter be enclosed). Corresponding substitution or modification of the bid must accompany the written notice. The notice must be-
 - (a) submitted in accordance with the bidding documents and in addition the envelope shall be clearly marked as "Withdrawal", "Substitution", or "Modification", and
- (b) Received by the person authorized to receive the bids or directly dropped in the bid box prior to the last time and date fixed for receiving of bids.
- 2 Bids, requested to be withdrawn shall be returned unopened to the bidders.
- 3 No bid shall be withdrawn, substituted, or modified after the last time and date fixed for receipt of bids.

38 Opening of Bids:-

- (1) The sealed bid box shall be opened by the bid opening committee constituted by the procuring entity at the time, date and place specified in the bidding documents in the presence of the bidders or their authorized representatives, who choose to be present.
- (2) If electronic bidding is adopted, specific electronic bid opening procedure as specified on the State Public Procurement Portal Shall be followed. The bidders may witness the electronic bid opening procedure online.
- (3) The bids shall be opened by the bids opening committee in the presence of the bidders or their authorized representatives who choose to be present. All envelopes containing bids shall be signed with date by the members of the committee in loken of verification of the fact that they are sealed. The envelopes shall be numbered as a/n where 'a' denotes the serial number at which the bid envelop has been taken for opening and 'n' denotes the total number of bids received by specified time.
- (4) The bid opening committee shall prepare a list of the bidders or their representatives attending the opening of bids and obtain their signatures on the same. The list shall also contain the representative's name and telephone number and corresponding bidder's names and addresses. The authority letters brought by the representatives shall be attached to the list. The list shall be signed by all the members of bid opening committee with date and time of opening of the bids.
- (5) First, envelopes marked as "WITHDRAWAL" shall be opened, read out, and recorded and the envelope containing the corresponding bid shall not be opened but returned to the bidders. No bid shall be permitted to be withdrawn unless the corresponding withdrawal notice contains a valid authorization to request the withdrawal notice is not accompanied by the valid authorization the withdrawal shall not be permitted to be withdrawn unless the corresponding bid shall be opened. Next envelopes marked as "SUBSTITUTION" shall be opened, read out recorded and exchanged for the corresponding bid being substituted and the substituted bid shall not be opened, but returned to the bidder. No bid shall be substituted unless the corresponding substitution notice contains a valid authorization to request the substitution notice contains a valid authorization to request the submission and is read out and recorded at bid opening. Envelopes marked as "MODIFICATION" shall be opened there after read out and recorded with the corresponding bid. No bid shall be modified unless the corresponding modification notice contains a valid authorization to request the modification notice contains a valid authorization to request the modification and is read out and recorded at

NE

Signature of the bidder with stamp

B

bid opening. Only envelopes that are opened, read out and recorded at bid opening shall be considered further.

- (6) All other envelopes shall be opened one at a time and the following details shall be read out and recorded.
 - (a) The name of the bidder and whether there is a substitution or modification.
 - (b) The bid prices (per lot if applicable).
 - (c) The bid security, if required and.
 - (d) Any other details as the committee may consider appropriate.

After all the bids have been opened, they shall be initialed and dated on the first page of the each bid by the members of the bids opening committee. All the pages of the price schedule and letters, Bill of Quantities attached shall be initialed and dated by the members of the committee. Key information such as prices, delivery period etc. shall be encircled and unfilled spaces in the bids shall be marked and signed with date by the members of the committee. The original and additional copies of the bid shall be marked accordingly.

Alterations/corrections/additions/over-writing shall be initialed legible to make it clear that such alteration, etc were existing in the bid at the time of opening.

- (7) No bid shall be rejected at the time of bid opening except the late bids, alternative bids (if not permitted) and bids not accompanied with the proof of payment or instrument to the required price of bidding documents, processing fee or user charges and bid security.
- (8) The bid opening committee shall prepare a record of the bid opening that shall include the name of the bidder and whether there is a withdrawal, substitution, or modification the bid price per lot (if applicable) any discounts and alternative offers (if they were permitted), any conditions put by bidder and the proof of the payment of price of bidding documents, processing fee or user charges and bid security. The bidders or their representatives, who are present, shall sign the record with date.
- (9) In case of two part bids, only outer envelopes and envelopes marked as "technical Bid" shall be opened in the sequence of the serial numbers marked on them. The envelopes marked as "Financial Bid" shall be kept intact and safe and shall be opened of only those bidders who quality in the evolution of their Technical Bids on the date and time to be intimated to those bidders.
- (10) In case of two stage bidding the proposals received in response to invitation of Expression of Interest or Request for Qualification in the first stage shall be opened as per the procedure specified for the opening of Single part bid the procedure for opening of second stage bids shall be similar to that for opening of Two part bids. In case Technical and Financial bids are invited in single envelope in second stage, the procedure for opening of the bids shall be as specified above.

39 Non- material Non-conformities in bids-

- 1. The bid evaluation committee may waive any nonconformity in the bid that do not constitute a material deviation, reservation or omission, the bid shall be deemed to be substantially responsive.
- The bid evaluation committee may request the bidder to submit the necessary information or document like audited statement of accounts, VAT / GST clearance certificate, PAN, etc. within a reasonable period of time. Failure of the bidder to comply with the request may result in the rejection of its bid.
- 3. The bid evaluation committee may rectify non-material nonconformities or omissions on the basis of the information or documentation received from the bidder under sub-rule (2).

AEN(E)

Signature of the bidder with stamp

40 Correction of arithmetical errors

- The bid evaluation committee shall correct Arithmetical errors in substantially responsive bids on the following basis namely:
 - a. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the bid evaluation committee there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected.
 - b. If there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected, and.
 - c. It there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to on arithmetic error, in which case the amount in figures shall prevail subject to (a) and (b) above If the bidder that submitted the lowest evaluated bid does not accept the correction of errors, its bid shall be disqualified and its bid security shall be forfeited or its bid securing declaration shall executed.
- 41 (1) Comparison of rates of firms outside and those in Rajasthan: While tabulating the bids of those firms which are not entitled to price preference, the element of Rajasthan GST Tax shall be excluded from the rates quoted by the firm of Rajasthan and the element of Central GST / IGST Tax shall be included in the rates of firms from outside Rajasthan for evaluation purpose.

(2) While comparing the rates in respect of firms within Rajasthan the element of GST shall be included.

42 Price Preference: -

Price and / or purchase Preference notified by the State Government and as mentioned in the bidding documents shall be considered in the evaluation of bids and award of contract.

43 Procuring entity's right to accept or reject any or all bids:- The Procuring entity reserves the right to accept or reject any bid, and to annual the bidding process and reject all bids at any time prior to award of contract, without thereby incurring any liability to the bidders. Reasons for doing so shall be recorded in writing.

44 Right to vary quantity :-

- If the procuring entity does not procure any subject matter of procurement or procures less than the quantity specified in the bidding documents due to change in circumstances, the bidder shall not be entitled for any claim or compensation except otherwise provided in the bidding documents.
- 2) Repeat orders for extra items or additional quantities may be placed, if it is provided in the bidding documents, on the rates and conditions given in the contract if the original order was given after inviting open competitive bids. Delivery or completion period may also be proportionately increased. the limits of repeat order shall be as under -
 - a. 50% of the quantity of the individual items and 50% of the value of original contract in case of work; and
 - b. 50% of the value of goods or services of the original contract.

ACH(E)

Signature of the bidder with stamp

45 Performance Security :-

- i. Performance security shall be solicited from all successful bidders except the department's of the State Government and undertaking, corporation, autonomous bodies, registered societies, co- operative societies which are owned or controlled or managed by the State Government and undertakings of the Central Government. However, a performance security declaration shall be taken from them. The State Government may relax the provision of performance security in particular procurement or any class of procurement.
- The amount of performance security shall be 5% (five percent), or as may be specified ii. in the bidding documents, of the amount of supply order in case of procurement of goods and services and 10% (Ten percent) of the amount of work order in case of procurement of works. In case of small scale Industries of Rajasthan it shall be 1% (One percent) of the amount of quantity ordered for supply of goods and in case of sick industries, other than small scale Industries, whose cases are pending before the Board of Industrial and Financial Reconstruction (BIFR), it shall be 2% (Two percent) of the amount of supply order.
- iii. Performance security shall be furnished in any one of the following forms: -
 - (a) Bank Draft or Banker's Cheque of a scheduled bank.
 - (b) NEFT & RTGS.
- Performance security furnished in the form specified in clause a-b of sub-rules (3) shall vi. remain valid for a period of sixty days beyond the date of completion of all contractual obligations of the bidder, including warranty obligations and maintenance and defect liability period.

46 (A) Compliance with the code of Integrity

Any person participating in a procurements process shall:-

- (i) Not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in procurement process to otherwise influence the procurement process.
- (ii) Not misrepresent or omit that misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation.
- (iii) Not indulge in any collusion, Bid rigging or anti-competitive behavior to impair he transparency, fairness and progress of the procurement process.
- (iv) Not misuse any information shared between the procuring entity and the bidders with intent to gain unfair advantage in the procurement process.
- Not indulge in any coercion including impairing or harming or threatening to do the (v) same, directly or indirectly, to any party or to its property to influence the procurement process.
- (vi) Not obstruct any investigation or audit of a procurement process.
- (vii) Disclose conflict of interest, if any, and.
- (viii) Disclose any previous transgression with any entity in India or any other country during the last three years or any debarment by any other procuring entity.

(B) Compliance with No Conflict of Interest:-

a) A conflict of interest for procuring entity or its personnel and bidders is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.

The situations in which a procuring entity or its personnel may be considered to be in ADY (G/b) conflict of interest includes, but not limited to, following:-3 9

Signature of the bidder with stamp

- i. A conflict of interest occurs when procuring entity's personnel private interests, such as outside professional or other relationships or personal financial assets, interfere or appear to interfere with the proper performance of its professional functions or obligations as a procurement official.
- ii. Within the procurement environment, a conflict of interest may arise in connection with such private interests a s personal investments and assets political or other outside activities and affiliations while in the service of the procuring entity, employment after retirement from the procuring entity's service of the receipt of a gift that may place the procuring entity's personnel in a position of obligation.
- iii. A conflict of interest also includes the use of procuring entity's assets, including human, financial and material assets, or the use of procuring entity's office or knowledge gained from official functions for private gain or to prejudice the position of someone procuring entity's personnel does not favour.
- iv. A conflict of interest may also arise in situations where procuring entity's personnel is seen to benefit, directly or indirectly, or allow a third party, including family friends or someone they favour to benefit from procuring entity's personnel's actions or decisions.
- A Bidder may be considered to be in conflict of interest with one or more parties in a bidding process if, including but not limited to:
 - a) They have controlling partners in common.
 - b) They received or have received any direct or indirect subsidy from any of them.
 - c) They have the same legal representative for purpose of the bid.
 - d) They have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the bid or another.
 - e) A bidder participates in more than one bid in the same bidding process. However, this does not limit the inclusion to the same sub-contractor, not otherwise participating as a bidder, in more than one bid, or
 - f) A bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the subject matter of procurement of the bidding process. All bidders shall provide in Qualification Criteria and Bidding Forms, a statement that the bidder is neither associated nor has been associated directly or indirectly, with the consultant or any other entity that has prepared the design, specifications and other documents for the subject matter of procurement or being proposed as Project Manager for the contract.
- 47 The prices under a rate contract shall be subject to price fall clause. If the rate contract holder quotes/reduces its price to render similar goods, works or services at a price lower than the rate contract price to anyone in the State at any time during the currency of the rate contract, the rate contract price shall be automatically reduced with effect from the date of reducing or quoting lower price, for all delivery of the subject matter of procurement under that rate contract and the rate contract shall be amended accordingly. The firms holding parallel rate contracts shall also be given opportunity to reduce their price by notifying them the reduced price giving them fifteen days time to intimate their acceptance to the revised price. Similarly if a parallel rate contract holding firm reduces its price during currency of the rate contract, its reduced price shall be conveyed to other parallel rate contract holding firm and the original rate contract holding firm for corresponding reduction in their prices. If any rate contract holding firm does not agree to the reduced price, further transaction with it, shall not be conducted.

ADYO

Signature of the bidder with stamp

13

- 48 Bids received by telegram/e-mail or given on form other than the prescribed form shall not be considered.
- 49 Breach of code of integrity by the bidder: without prejudice to the provision of Chapter IV of the Act, in case of breach of any provision of the code of integrity by a bidder or prospective bidder, as the case may be, the procuring entity may take appropriate action in accordance with the provisions of sub-section (3) of section 11 and section 46.
- 50 Appealing Authority :-
 - (i) First Appealing Authority: Registrar, Rajasthan University of Veterinary and Animal Sciences, Bikaner.
 - (ii) Second Appealing Authority: Hon'ble Vice Chancellor, Rajasthan University of Veterinary and Animal Sciences, Bikaner.
- 51 All legal proceedings, if necessary arise to institute may by any of the parties (University or Contractor) shall have to be lodged in courts situated in Bikaner Rajasthan and not elsewhere.

AENICE)

13_

Signature of the bidder with stamp

Form of Bid-Securing Declaration

Date	
Bid No.	
Afternative No.	
10	
S and and a second	

We, the undersigned, declare that:

We understand that, according to your conditions, bids must be supported by a Bid-Securing Declaration. We accept that we are required to pay the bid security amount specified in the Term and Condition of Bid. in the following cases, namely:

- a) when we withdraw or modify our bid after opening of bids;
- b) when we do not execute the agreement, if any, after placement of supply/work order within the specified period;
- when we fail to commence the supply of the goods or service or execute work as per supply/work order within the time specified;
- d) when we do not deposit the performance security within specified period after the supply/work Order is placed; and
- e) . If we breach any provision of code of integrity prescribed for bidding specified in the Act and Chapter VI of these rules.

In addition to above, the State Government shall debar us from participating in any procurement process undertaken for a period not exceeding three years in case where the entire bid security or any part thereof is required to be forfelted by procuring entity.

We understand this Bid Securing Declaration shall expire if

- (i) we are not the successful Bidder;
- (ii) the execution of agreement for procurement and performance security is furnished by us in case we are successful bidder;
- (iii) thirty days after the expiration of our Bid.
- (iv) the cancellation of the procurement process; or
- (v) the withdrawal of bid prior to the deadline for presenting bids, unless the bidding documents stipulate that no such withdrawal is permitted.

Signed :------



Ph.No. 0151 - 2204123(O) 2205123 (Fax) E-mail Address - cvas901@gmail.com



'G' Schedule

BSR 2022 PWD Rajasthan

Name of Work- Supply, laying, eraction, commissioning & testing of 185mm 3.5core Underground Cable along with cubical panel & G.I Tubular Poles from Pharmacology Department to V.C. Banglow via Bank Building along the Road at RAJUVAS Campus Bikaner

S.No.	Items	Unit	Qty	Rate	Amount
S.No. 1	Cubical Panel SITC of IP-42 and general construction confirming to IS:8623 : 1993, wall/ free standing floor mounted dust and vermin proof compartmentalised cubical panel as specifications and Other parameters required as per point (a) ,(b), (c),(d), (e), (f), (g), (h) as below:- (a) Thickness of CRCA sheet shall be 2.0 mm, cable alley compartments having concealed hinged type doors with key type lock with / without detachable extension type structure. Removable 3 mm. thick sheet steel gland plates with appropriate size of knockouts for cables shall be provided (b) complete panel shall undergo a process of degreasing, Water rinsing, Activation, derusting, pickling in acid bath, phosphatising & shall be subjected to nine tank process and then Powder coated with approved shade of minimum 70 microns on both side of panel. The panel having PE foam/ Neoprene rubber gasket of not less than 3mm thickness ,required hardware , concealed hinged door with key type locking arrangement for equipment/switchgear earthed with 2.5 sq.mm braided copper wire. [c) Interconnection between bus bar and switchgears /cable shall be rigidly supported and made out by flexible copper wires (up to 63 amp) and by solid bus bar (>63 amp) and by solid bus bar (>63 amp) . control wir ng will be carried out with 1.5 Sq.mm, Earth wire with 2.5 Sq.mm and CT with 2.5 sq.mm flexible copper wire only. All joints / interconnections of copper bus bar shall be dully tinned . Clearance between main bus bar and risers / metal parts shall be at least 10 mm additional to width of bus bar Bus bar is insulated by Heat Shrinkable sleeves. Earth and Neutral bus	Sq. Mtr	11 sq mtr.		Rs.65725/-

DEAN

1 23 Mars



Interconnection between Main busbar and Switchgear is to be Paid Extra) (d)Wiring between components within switchgear and Incoming / outgoing cable shall be done through the terminal block only. Direct connection shall not be permitted. Each terminal block shall be one piece moulded, barrier type, 650 volt grade, complete with washers, heads, studs with two nuts and identification strips and shall have adequate continuous current rating. For tap-offs, adjacnt terminals with shorting strips shall be used. 10% Spare terminal block shall be used. 10% Spare terminal blocks shall be rowind signarms. All wire terminals on the equipment shall also be marked with designation corresponding to those of the wiring diagram. (e)All wiring shall be enclosed in plastic channels and neatly bunched and doixed in metering chamber, Wiring between terminals of various devices shall be 'point' to point' (no wire splitting or tee connections) with wirs neatly trucked along the back of the panels, adequately supported to prevent sagging. (f)Floor mounted panel shall be mounted on Base frame of ISMC channel size 100 x SD x 5 m (to be paid Extra) (g) Tests: The insulation resistance (with 1000 V Megger) and High voltage Power frequency test (by applying a voltage of 2.5KV for one minute) shall be measured between phase and earth. both before and after high voltage Power frequency test. The insulation resistance shall not be less than three megachm. CT Secondary current highciton test shall also be carried out. Kg 30 kg Rs.16260/- Rs.16260/- Rs.16260/- Rs.16260/- Rs.16260/- Rs.16260/- Rs.16260/-						। पशुधर्ने नित्यं सर्व
products/ work , refer Annexure "A" attached with this BSR . Kg 30 kg Rs.542/- RS.16260/-		Switchgear is to be Paid Extra) (d)Wiring between components within switchgear and Incoming / outgoing cable shall be done through the terminal block only. Direct connection shall not be permitted. Each terminal block shall be one piece moulded, barrier type, 650 volt grade, complete with washers, heads, studs with two nuts and identification strips and shall have adequate continuous current rating. For tap-offs, adjacent terminals with shorting strips shall be used. 10% Spare terminal blocks shall be provided. Wire identification on marking strip shall correspond to the designation of the wiring diagrams. All wire terminals on the equipment shall also be marked with designation corresponding to those of the wiring diagram. (e)All wiring shall be enclosed in plastic channels and neatly bunched and closed in metering chamber, Wiring between terminals of various devices shall be 'point to point' (no wire splitting or tee connections) with wires neatly trucked along the back of the panels, adequately supported to prevent sagging. (f)Floor mounted panel shall be mounted on Base frame of ISMC channel size 100 x 50 x 5 mm (to be paid Extra) (g) Tests: The insulation resistance (with 1000 V Megger) and High voltage Power frequency test (by applying a voltage of 2.5KV for one minute) shall be measured between phases, between phase and neutral and between phase and earth. both before and after high voltage power frequency test. The insulation resistance shall not be less than three megaohm. CT Secondary current injection test shall also be carried out. (h) only outer surface area on all sides shall be measured & panel to be fabricator only (CPRI Test certificates to be submitted)All				
Nunniving and tixing of Augminium (IEC 60105 ISO	2	certificates to be submitted)All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR .	Kg	30 kg	Rs.542/- per kg	RS.16260/-

子」 DEAN



	withstand capacity , high tensile nuts and bolts				। पशुधर्म नित्यं सर्वत
	spring washers in existing panel including bending, cutting in required shape and				
	size and colour coding with heat shrinkable PVC sleeves. All as per pre approved by				
	Engineer in charge. For additional technical parameters of products/ work				
	, refer Annexure "A" attached with this BSR .				
121.5	Electrolytic grade Aluminium bus bar 6010 grade				
	3.5 Core 185mm PVC	Mtr.	540mtr.	Rs.1415/-	Rs.764100/-
	LT Cable Make-Havells,RR kable, Polycab, Finolex or			per mtr.	
	equilvelent as per ISI Approved				
	Make Mention as per Technical Bid				
	Providing & Laying P.V.C. / XLPE insulated &				
	P.V.C. sheathed Arrmoured				
	Aluminium cable confirming to IS:1554 P-I / IS :7098 P - I of 1.1 KV with H4-				
	Grade electrolytic aluminium conductor				
	confirming to IS 8130 of purity >99.6 %, Inner / outer sheath confirming to IS:5831 in				
	existing RCC / Hume / Stoneware /				
	PVC pipe/ open duct/cable trench / Cable tray				
	(with cable tie) including testing				
	etc. as required of following size. OEM must				
	have it's own in house NABL accrediated Laboratory for testing procedure as				
	per IS:10810.				
1	Cable Trench	Mtr	540mtr.	Rs.185/-	Rs.99900/-
	Add Extra for Laying of one number PVC			per mtr.	
	insulated and PVC sheathed / XLPE				
	power cable of 1.1 KV grade direct in ground				
16.3	including excavation of trench of		1.25 1.15		
		1.			
	size 75 cm (Depth) x 35 cm(Width) , with				
	procedure as per following points:-				
	procedure as per following points:- (a) Make a river sand bed of height 125 mm				
	procedure as per following points:-				
	procedure as per following points:- (a) Make a river sand bed of height 125 mm along the trench, (b) Lay the cable in the middle of the trench, (c) Provide river sand bed of height 125 mm on top				
	procedure as per following points:- (a) Make a river sand bed of height 125 mm along the trench, (b) Lay the cable in the middle of the trench, (c) Provide river sand bed of height 125 mm on top of the cable, (d) Lay the protective Common				
	procedure as per following points:- (a) Make a river sand bed of height 125 mm along the trench, (b) Lay the cable in the middle of the trench, (c) Provide river sand bed of height 125 mm on top of the cable, (d) Lay the protective Common burnt clay F.P.S. Bricks of Class			-	
	procedure as per following points:- (a) Make a river sand bed of height 125 mm along the trench, (b) Lay the cable in the middle of the trench, (c) Provide river sand bed of height 125 mm on top of the cable, (d) Lay the protective Common burnt clay F.P.S. Bricks of Class designation 75 / Sand stone slabs of 50 mm				
	procedure as per following points:- (a) Make a river sand bed of height 125 mm along the trench, (b) Lay the cable in the middle of the trench, (c) Provide river sand bed of height 125 mm on top of the cable, (d) Lay the protective Common burnt clay F.P.S. Bricks of Class				
	procedure as per following points:- (a) Make a river sand bed of height 125 mm along the trench, (b) Lay the cable in the middle of the trench, (c) Provide river sand bed of height 125 mm on top of the cable, (d) Lay the protective Common burnt clay F.P.S. Bricks of Class designation 75 / Sand stone slabs of 50 mm thickness and 225 mm wide just above the sand bed vertically across the cable (Approx. 9 no. Bricks per Mtr.), (e)				
	procedure as per following points:- (a) Make a river sand bed of height 125 mm along the trench, (b) Lay the cable in the middle of the trench, (c) Provide river sand bed of height 125 mm on top of the cable, (d) Lay the protective Common burnt clay F.P.S. Bricks of Class designation 75 / Sand stone slabs of 50 mm thickness and 225 mm wide just above the sand bed vertically across the cable (Approx. 9 no. Bricks per Mtr.), (e) Backfill the excavated soil leaving 300 mm from				
	procedure as per following points:- (a) Make a river sand bed of height 125 mm along the trench, (b) Lay the cable in the middle of the trench, (c) Provide river sand bed of height 125 mm on top of the cable, (d) Lay the protective Common burnt clay F.P.S. Bricks of Class designation 75 / Sand stone slabs of 50 mm thickness and 225 mm wide just above the sand bed vertically across the cable (Approx. 9 no. Bricks per Mtr.), (e) Backfill the excavated soil leaving 300 mm from the Ground level, (f)Lay the				
	procedure as per following points:- (a) Make a river sand bed of height 125 mm along the trench, (b) Lay the cable in the middle of the trench, (c) Provide river sand bed of height 125 mm on top of the cable, (d) Lay the protective Common burnt clay F.P.S. Bricks of Class designation 75 / Sand stone slabs of 50 mm thickness and 225 mm wide just above the sand bed vertically across the cable (Approx. 9 no. Bricks per Mtr.), (e) Backfill the excavated soil leaving 300 mm from				





Ph.No. 0151 - 2204123(O) 2205123 (Fax) E-mail Address - cvas901@gmail.com

5	Aluminium Lugs of size 185mm,10mm and 4mm	Nos.	95 Nos.	Rs.44/- per Nos.	Rs.4180/-
	Supplying and making end termination with heavy aluminium lugs (Pin / ring				
	type) confirming to IS 8309 -1993 & IS 8337- 1976 duly crimped with crimping				
	tool, PVC tape etc of following size.All as per pre				
	approved by Engineer in charge. For additional technical parameters of				
	products/ work , refer Annexure "A" attached with this BSR .				
6	2 core 4mm ² PVC Aluminium Cable	Mtr.	80mtr.	Rs.61/- per	Rs.4880/-
	Make-Havells,RR kable, Polycab, Finolex or			mtr.	
	equilvelent as per ISI Approved Make Mention as per Technical Bid				
	Providing & Laying P.V.C. / XLPE insulated &				
	P.V.C. sheathed Un-Arrmoured				
	Aluminium cable confirming to IS:1554 P-I / IS :7098 P - I of 1.1 KV with H4-				
	Grade electrolytic aluminium conductor				
	confirming to IS 8130 of purity >99.6 %, Inner / outer sheath confirming to IS:5831 in				
	existing RCC / Hume / Stoneware /				
	PVC pipe/ open duct/cable trench / Cable tray				
	(with cable tie) including testing etc.				
7	4 core 10mm ² PVC	Mtr.	80mtr.	Rs.146/-	Rs.11680/-
	Aluminium Cable			per mtr.	
	Make-Havells,RR kable, Polycab, Finolex or				
	equilvelent as per ISI Approved Make Mention as per Technical Bid				
	supply Fixing of P.V.C. / XLPE insulated & P.V.C. sheathed Arrmoured				
	Aluminium cable confirming to IS:1554 P-I / IS :7098 P - I of 1.1 KV with H4-				
	Grade electrolytic aluminium conductor				
	confirming to IS 8130 of purity >99.6 %, Inner / outer sheath confirming to IS:5831 in				
	existing RCC / Hume / Stoneware /				
	PVC pipe/ open duct/cable trench / Cable tray (with cable tie) including testing				
	etc.				
8	G.I. Pole (7 mtr. long)	Nos.	11 Nos.	Rs.13152/-	Rs.144672/-
	Supply and erection of Galvanized Iron pole			per Nos.	
7	with galvanizing done in single dipping (Average coating				
ENG	thickness Minimum 65 Microns) continuously tapered poles having Octagonal / Circular cross-				

R

DEAN




					। पशुधनं नित्यं सर्वलं
	sections designed to withstand the maximum wind speed as per IS 875, The pole shaft shall be made from sheet steel (HT Steel Conforming to grade S355JO) and confirming to BSEN 10025 and shall be continuously tapered with single longitudinal welding. There shall not be any circumferential welding. The welding of pole shaft shall be done by Submerged Arc Welding (SAW) process. pole shafts shall be provided with the rigid flange plate of suitable thickness (Fe 410 conforming to IS 226 / IS 2062) with provision for fixing 4 no. foundation bolts, This base plate shall be fillet welded to the pole shaft at two locations i.e. from inside and outside. The octagonal Poles shall have lockable door of approximate 500 mm length at the elevation of 500 mm from the Base plate with bakelite sheet having 6A SP MCB and 16 sqmm stud type connector (4 nos) inside the pole at door opening for cable connection of following length and dimension as per table P-01 with base plate and foundation bolt on the Existing cement concrete foundation.				
9	 Foundation of pole Providing and Laying RCC Foundation for Octagonal / Conical Street Light poles, A) Excavation of Pit for Foundation Size upto required depth from Ground level B) Dressing of Pit and Dry stone pitching 200 mm thick including supply of stones and preparing surface complete. C) Providing and laying in position cement concrete of M-10 grade of 75 mm thickness D) Reinforcement for R.C.C. work with TMT bars including straightening, cutting, bending, placing in position and binding all complete. E) Centring and shuttering including strutting , propping etc. and removal of form work for Footing and 	Nos.	11Nos.	Rs.7943/- per Nos.	Rs.87373/-

DEAN



	chenel & foundation bolts			Total-	Rs.1281270/-
10	Construction of cement concreat foundation of size 75cm length,45cm width,75cm hight (30cm below ground) for fixing of LT cubical panel with Base of 100x50x5mm foundation	Nos.	11 Nos	Rs.7500/- per Nos.	Rs.82500/-
	 HDPE Pipe & Foundation Bolt with template as per OEM Recommendations. G) Providing and Laying Reinforce cement Concrete of M-25 grade in Footing and Pedestal including Curing the foundation for 7 days. H) Providing and Fixing Nosing Angle 40 mm x 40 mm x 6mm with 2 no. 100 mm long, 10 mm dia. 				2 22524



Tanks