

# COLLEGE OF VETERINARY AND ANIMAL SCIENCE **JODHPUR-342037**

## (Rajasthan University of Veterinary and Animal Sciences, Bikaner)

Prof (Dr) S.K.Sharma Dean

**2** 9414682352

Email: deancvasjrajuvas@gmail.com drshivsharmavet@rediffmail.com

No F. ( )/CVAS J/RAJUVAS/Pur/ 2024-25/ 503 - 505

Dated: 02/07/2024

### सीमित निविदा आंमत्रण सूचना सं0 17/2024-2025

पशु चिकित्सा एवं पशु विज्ञान महाविधालय, जोधपुर के पशु शरीर रचना विभाग/पशुचिकित्सा व्याधिकी विज्ञान हेतु हिस्टोलॉजिकल स्लाइड एवं स्पेसीमेन जार (हिस्टोलॉजिकल स्लाइड एवं स्पेसीमेन जार - संलग्न सूची अनुसार) के क्य हेतु सीमित निविदा आमंत्रित की जाती है जिसकी अनुमानित लागत लगभग रूपये 200000 / - (रू. दो लाख) है । इच्छुक अनुभवी रजिस्टर्ड जीएसटी धारक फर्म उपरोक्त सामग्री हेतु अपनी दरें निर्धारित प्रपृत्र में भर कर बन्द लिफाफे में अधिष्ठाता, पशु चिकित्सा एवं पशु विज्ञान महाविधालय, जोधपुर (पताः वेटनरी महाविधालय, जोधपुर-342037, जोधपुर-नागौर राष्ट्रीय राजमार्ग पर नेतडा टोल प्लाजा के पास ) के नाम से प्रस्तुत कर सकते हैं। पूर्ण भरी हुई निविदा प्राप्त करने की अंतिम तिथि 09.07.2024 को मध्यान्ह पूर्व 11:00 बजे तक होगी तथा प्राप्त निविदाएँ उसी दिन मध्यान्ह पश्चात 2.00 बजे कार्यालय अधिष्ठाता, पशु चिकित्सा एवं पशु विज्ञान महाविधालय, जोधपुर में खोली जायेगी।

### नियम एवं शर्ते :--

- दरें रजिस्टर्ड जीएसटी धारक फर्म द्वारा निर्घारित प्रपत्र में प्रस्तुत करनी होगी । 1)
- 2) आपूर्ति -F.O.R. पशुचिकित्सा एवं पशु विज्ञान महाविधालय, जोधपुर होगी ।
- आपूर्ति आदेश सम्बन्धित विभाग / महाविधालय की आवश्यकतानुसार ही दिया जायेगा । 31
- 4) आपूर्ति आदेश प्राप्त होने के 30 दिनों में सामग्री की आपूर्ति करना अनिवार्य होगा ।
- आपूर्ति की जाने वाली सामग्री स्टेन्डर्ड एवं टिकाऊ होनी चाहिए । 51
- उपरोक्त दर्शायी गई सामग्री में आवश्यकतानुसार कमी या वृद्धि की जा सकती है । 6)
- निविदा दरें अनुमोदन करने /न करने का पूर्ण अधिकार अद्योहस्ताक्षरकर्त्ता के पास सुरक्षित हैं । 7)
- निविदाकर्त्ता की कोई भी शर्त मान्य नही होगी । 8)
- निविदा खोलने की दिनांक को अगर कोई अवकाश रहता है, तो निविदा अगले कार्य दिवस को खोली जायेगी । 9)
- निविदा सम्बन्धी कोई भी विवाद होता है, तो निविदा कमेटी का निर्णय अंतिम एवं सर्वमान्य होगा । 10)
- बिल का भुगतान सम्बन्धित विभाग के अधिकारी द्वारा प्रमाणित बिल के आधार पर ही किया जायेगा, जिसका भुगतान महाविधालय द्वारा चैक अथवा 11) फर्म के खाते में सीधे ही स्थानान्तरित किया जायेगा अतः बिल पर जीएसटी, बैंक खाते का पूर्ण विवरण व मोबाइल नम्बर दर्शाना अनिवार्य होगा ।
- निविदा लिफाफे पर निविदा का विवरण स्पष्ट लिखना अनिवार्य होगा। 12)
- 13) दरें निर्धारित प्रपत्र में ही देवे ।
- निविदा की शर्तों के अनुसार आपूर्ति करने में असफल होने/आपूर्ति में शिथिलता/अनियमितता की शिकायत पाये जाने पर नियमानुसार आवंटित 14) निविदा निरस्त कर दी जायेगी ।
- आपूर्ति संतोषजनक पाये जाने पर ही भूगतान किया जायेगा एवं आपूर्ति हेतु किसी भी प्रकार का अग्रिम नहीं दिया जायेगा । 15)
- उक्त निविदा राशि रूपये दो लाख तक या दिनांक 31.07.2024, जो भी पहले हो, तक के लिये वैध होगी । 16)
- आपूर्तिकर्ता को अस्थियों का वैधानिक रूप में प्राप्त कर विक्रय का प्रमाण पत्र प्रस्तुत करना होगा । 17)
- समस्त प्रकार के विवादों का न्यायिक क्षेत्र जोधपुर होगा । 18)
- उक्त शर्तों के अलावा राजस्थान पशुचिकित्सा चिकित्सा एवं पशु विज्ञान विश्वविद्यालय, बीकानेर की सामान्य निविदा शर्ते व आरटीपीपी एक्ट 2012 19) एवं नियम 2013 भी लागू होगें ।

### प्रतिलिपि:-

- नोडल अधिकारी,एस.पी.पी.पी. / नीसाजीनेट, राजूवास, बीकानेर को भेजकर लेख है कि ,एस.पी.पी.पी. पोर्टल व विभागीय वेबसाइट पर उक्त सीमित निविदा सूचना अपलोड करने का श्रम करावें ।
- लेखा शाखा / स्टोर / कय
- सूचना पट्ट

# TENDER FORM

# List histological slides and specimen jars required in the Department of Veterinary Anatomy/ Veterinary Pathology

1. Mammal Histology  1. Adrenal gland TS, 2. Bone Calcified TS, 3. Bone decalcified TS, 4. Bone Marrow, 5. Epithelium Squamous, 6. Epithelium columnar, 7. Epithelium sensory, 10. Epithelium straited, 11. Epithelium columnar, 7. Epithelium straitied, 12. Epithelium straitied, 13. Epithelium pigmented, 14. Epithelium straitied, 13. Epithelium pigmented, 14. Epithelium straitied, 13. Epithelium pigmented, 14. Epithelium straitied, 15. Fibrous cartilage, 16. Hyaline cartilage, 17. Lymph gland TS, 18. Vein, artery and nerve 1. Glass slides should be high-qua on same slide, 19. Muscles striated, 20. Muscles smooth LS, 3. Organ should he high-qua on same slide, 19. Muscles striated, 21. Muscles sendiac, 22. Muscles smooth LS, 3. Organ should he high-qua on same slide, 19. Muscles striated, 21. Muscles smooth LS, 30. Tissue arcolar, 31. Tissue adipose, 32. Tendon, 33. Organ should he was specified organs in column 2. Printitary gland TS, 26. Parathyroid gland TS, 27. Thyroid 4. Size appropriate to cover the spland TS, 28. Thymus gland TS, 29. Selivary gland TS, 5. Specific organs should be used to the spland TS, 34. Acrta TS, 35. Blood smear, 36. Brain cerebrum TS, 37. Brain cerebbellum TS, 34. Duodenum TS, 38. Duodenum TS, 39. Epithem TS, 39. Heart TS, 40. Heart TS, 50. Thyroid Service of straited with the organ condition of the TS, 45. Liver TS, 56. Lung LS, 57. Lung TS, 58. Liver TS, 59. Orany with corpus fading medium that cond TS, 61. Ovary TS, 62. Ovary with corpus fading medium that cond TS, 61. Ovary TS, 62. Ovary with corpus fading to avoid brecome TS, 82. Vermiform Appendix, 83. Vermiform, 40. Urbalical cord TS, 61. Service TS, 63. Spinal 13. Proper cushioning to avoid brecome TS, 80. Trait TS, 81. Transfer TS, 82. Urbalical TS, 83. Urbalical TS, 84. Urbalical TS, 85. Urbalical TS, 86. Urbalical TS, 87. Transfer TS, 87. Exercise TS, 88. Urbalical TS, 88. Urbalical TS, 88. Urbalical TS,			Ouant	Ouant		Taxes	
1. Adrenal gland TS, 2. Bone Calcified TS, 3. Bone decalcified TS, 4. Bone Marrow, 5. Epithelium chumnar, 7. Epithelium ciliated, 8. Epithelium glandular, 9. Epithelium sensory, 10. Epithelium stratified, 13. Epithelium neuboidal, 12. Epithelium stratified, 13. Epithelium pigmented, 14. Elastic cartilage, 15. Fibrous cartilage, 16. Hyaline cartilage, 17. Lymph gland TS, 18. Vein, artery and nerve on same slide, 19. Muscles striated, 20. Muscles unstriated, 21. Muscles cardiac, 22. Muscles smooth LS, 23. Muscles bundle TS, 24. Mammary gland TS, 25. Pituitary gland TS, 26. Parathyroid gland TS, 27. Thyroid gland TS, 28. Thymus gland TS, 29. Salivary gland TS, 30. Tissue areolar, 31. Tissue adipose, 32. Tendon, 33. Artery TS, 34. Aorta TS, 35. Blood smear, 36. Brain cerebrum TS, 37. Brain cerebellum TS, 38. Duodenum TS, 39. Jejunum TS, 40. Ileum TS, 41. Cecum, 42. Colon TS, 43. Rectum TS, 44. Epiglottis TS, 45. Epiglottis Ls, 46. Eye VS, 47. Eye Iris region VS, 48. Fallopian tube TS, 49. Heart TS, 50. Heart LS, 51. Kidney TS, 52. Kidney LS, 53. Pancreas TS, 54. Liver TS, 55. Larynx TS, 56. Lung LS, 57. Lung TS, 58. Medulla Oblongata TS, 59. Oesophagus TS, 60. Umbilical cord TS, 61. Ovary TS, 62. Ovary with corpus luteum TS, 66. Skin VS, 67. Spleen TS, 68. Penis TS, 69. Trachea TS, 70. Testis TS, 71. Stomach Fundus TS, 72. Stomach Cardiac TS, 73. Rumen, 74. Reticulum, 75. Omasum, 76. Abomasum, 77. Retina VS, 78. Tendon fibres W.M., 79. Thymus Gland TS, 80. Tail TS, 81. Ureter TS.			ity requir ed	ity Mak requir e ed		Mak Quoteu (if not e unit includ rate ed)	Mak Quoteu (if not e unit includ rate ed)
TS, 4. Bone Calcified TS, 3. Bone TS, 4. Bone Marrow, 5. Epithelium 6. Epithelium columnar, 7. Epithelium Epithelium glandular, 9. Epithelium sensory, elium striated, 11. Epithelium cuboidal, 12. stratified, 13. Epithelium pigmented, 14. ttilage, 15. Fibrous cartilage, 16. Hyaline 7. Lymph gland TS, 18. Vein, artery and nerve slide, 19. Muscles striated, 20. Muscles slide, 19. Muscles striated, 20. Muscles slide, 19. Muscles striated, 20. Muscles should TS, 24. Mammary gland TS, 25. land TS, 26. Parathyroid gland TS, 27. Thyroid 28. Thymus gland TS, 29. Salivary gland TS, e areolar, 31. Tissue adipose, 32. Tendon, 33. 34. Aorta TS, 35. Blood smear, 36. Brain TS, 37. Brain cerebellum TS, 38. Duodenum TS, 40. Ileum TS, 41. Cecum, 42. 34. Rectum TS, 44. Epiglottis TS, 45. Ls, 46. Eye VS, 47. Eye Iris region VS, 48. tube TS, 49. Heart TS, 50. Heart LS, 51. S, 52. Kidney LS, 53. Pancreas TS, 54. Liver Larynx TS, 56. Lung LS, 57. Lung TS, 58. Oblongata TS, 59. Oesophagus TS, 60. cord TS, 61. Ovary TS, 62. Ovary with corpus S, 63. Oviduct TS, 64. Nerve TS, 65. Spinal 66. Skin VS, 67. Spleen TS, 68. Penis TS, 69. TS, 70. Testis TS, 71. Stomach Fundus TS, 72. Cardiac TS, 73. Rumen, 74. Reticulum, 75. 76. Abomasum, 77. Retina VS, 78. Tendon M., 79. Thymus Gland TS, 80. Tail TS, 81. TS, 82. Vermiform Appendix, 83. Vagina VS, 78. Tindon TS, 86. Urinary Bladder TS, 87.	Vlammal Histology		eu	CO	L		
10	TS, 4. Bone Calcified TS, 3. Bone TS, 4. Bone Marrow, 5. Epithelium 6. Epithelium columnar, 7. Epithelium Epithelium glandular, 9. Epithelium sensory, elium striated, 11. Epithelium cuboidal, 12. stratified, 13. Epithelium pigmented, 14. tillage, 15. Fibrous cartilage, 16. Hyaline 7. Lymph gland TS, 18. Vein, artery and nerve 1. slide, 19. Muscles striated, 20. Muscles 2. 21. Muscles cardiac, 22. Muscles smooth LS, 3. lles bundle TS, 24. Mammary gland TS, 25. land TS, 26. Parathyroid gland TS, 27. Thyroid 4. 28. Thymus gland TS, 29. Salivary gland TS, 5. e areolar, 31. Tissue adipose, 32. Tendon, 33. 6. 34. Aorta TS, 35. Blood smear, 36. Brain TS, 37. Brain cerebellum TS, 38. Duodenum TS, 39. Heart TS, 40. Heum TS, 41. Cecum, 42. 8, 43. Rectum TS, 44. Epiglottis TS, 45. 9. Ls, 46. Eye VS, 47. Eye Iris region VS, 48. 10. tube TS, 49. Heart TS, 50. Heart LS, 51. S, 52. Kidney LS, 53. Pancreas TS, 54. Liver Larynx TS, 56. Lung LS, 57. Lung TS, 58. Oblongata TS, 59. Oesophagus TS, 60. 12. cord TS, 61. Ovary TS, 62. Ovary with corpus S, 63. Oviduct TS, 64. Nerve TS, 65. Spinal 13 66. Skin VS, 67. Spleen TS, 68. Penis TS, 69. 14. S, 70. Testis TS, 71. Stomach Fundus TS, 72. Cardiac TS, 73. Rumen, 74. Reticulum, 75. 76. Abomasum, 77. Retina VS, 78. Tendon M., 79. Thymus Gland TS, 80. Tail TS, 81. There TS, 86. Utimary, Bladder TS, 87.	Iity. 1-quality. which me ecimen coned and cate ed: Hemate to highlight sed for the ensure lon name, sy ant to che ant to che akage during or debris	Iity. 1-quality. which mentioned in ecimen completely ed and categorized ed: Hematoxylin and to highlight different ensure longevity prevents air bubbles in name, species, and ant to chemicals and akage during transport or debris				
Rind 2	wn, 5. Bird Feather Filoplume, 6. Bird 7. Duodenum TS. 8. Enjolottis TS. 9.	quality.	quality.  -quality.  Each	lity. h mentioned in	lity. h mentioned in	lity.	lity. h mentioned in

1. Metabolic Nucleus, 2. Prophase, 3. Metaphase, 4. Anaphase, 5. Telophase, 6. Mitosis set of 5-slides 7.	4. Mitotic Cell Division	1. Ovary TS Showing Eggs, 2. Sperm Smear, 3. Testis Spermatozoa, 4. 13hrs Primitive Streak W.M., 5. 13hrs Primitive Streak T.S., 6. 13hrs Blastoderm W.M., 7. 13hrs Blastoderm T.S., 8. 21hrs 1-3 somite's W.M., 9. 21hrs stage TS, 10. 24hrs 7 Somite's W.M., 11. 24hrs stage TS, 12. 30hrs stage W.M., 13. 30hrs stage, 14. 33hrs 8-13 somites W.M., 15. 33hrs TS, 16. 36hrs 14-17 somites W.M., 17. 36hrs somites TS, 18. 36 hrs stage TS, 19. 38hrs Appx. 28 somites W.M., 20. 42hrs appx. 30 somites W.M., 21. 48hrs stage W.M., 22. 48hrs stage TS, 23. 58hrs stage WM, 24. 58hrs stage TS, 25. 66hrs stage W.M., 26. 66hrs stage TS, 27. 72 hrs stage TS, 25. 66hrs stage TS, 29. 84hrs stage TS, 33. 120hrs stage TS, 31. 96hrs stage TS, 29. 112 123 124 125 126 127 128 129 129 120 120 120 120 120 120 120 120 120 120	3 . Cnick Empryology	Eye VS, 10. Heart LS, 11. Penis TS, 12. Skin VS with Feather Buds, 13. Spleen TS, 14. Small Intestine TS, 15. Stomach TS, 16. Heart TS, 17. Large Intestine TS, 18. Liver TS, 19. Lung TS, 20. Kidney TS, 21. Brain Cerebrum TS, 22. Brain Cerebellum TS, 23. Nerve TS, 24. Oesophagus TS, 25. Pancreas TS, 26. Ovary TS, 27. Testis TS, 28. Trachea TS, 29. Vein TS, 30. Spinal cord TS, 31. Crop TS
Glass slides should be high-quality. Glass cover slips should be high-quality. Organ should have specified which mentioned in name of organs in column 2. Size appropriate to cover the specimen completely specific organs should be labeled and categorized Common stain should be used: Hematoxylin and Eosin (H&E) Clear and consistent staining to highlight different tissue structures Permanent staining should be used for the long term. Properly mounted specimens to ensure longevity		1. Glass slides should be high-quality. 2. Glass cover slips should be high-quality. 3. Organ should have specified which mentioned in name of organs in column 2. 4. Size appropriate to cover the specimen completely 5. Specific organs should be labeled and categorized 6. Common stain should be used: Hematoxylin and Eosin (H&E) 7. Clear and consistent staining to highlight different tissue structures 8. Permanent staining should be used for long-term. 9. Properly mounted specimens to ensure longevity 10. Use of mounting medium that prevents air bubbles and degradation 11. Clearly labeled with the organ name, species, and staining method 12. Permanent, legible, and resistant to chemicals and fading 13. Proper cushioning to avoid breakage during transport 14. Absence of scratches, bubbles, or debris		name of organs in column 2.  4. Size appropriate to cover the specimen completely  5. Specific organs should be labeled and categorized  6. Common stain should be used: Hematoxylin and Eosin (H&E)  7. Clear and consistent staining to highlight different tissue structures  8. Permanent staining should be used for the long term.  9. Properly mounted specimens to ensure longevity  10. Use of mounting medium that prevents air bubbles and degradation  11. Clearly labeled with the organ name, species, and staining method  12. Permanent, legible, and resistant to chemicals and fading  13. Proper cushioning to avoid breakage during transport  14. Absence of scratches, bubbles, or debris
ch multi-				

Rectangul	Rectangul	6. Specimen	1. Resting Diplotene Metaphas Second an Meiosis I significan	5. Meiosis		
Rectangular, Size of the specimen jars 30*17*9 cm	Rectangular, Size of the specimen jars 25*25*12 cm	Specimen Jars (Glassware)	1. Resting Nuclei, 2. Leptotene Stage, 3. Zygotene stage, 4. Diplotene stage, 5. Pachytene stage, 6. Diakinesis Stage, 7. Metaphase I, 8. Metaphase II, 9. Anaphase-Telophase I, 10. Second anaphase telophase full set of 12 slides per set, 11. Meiosis I all significant stages in one slide, 12. Meiosis II all significant stages in one slide	s Cell Division		
3. Cu 4. St. lal	2		1. 2. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3.		13. 14.	11.
	Specimen jars should be airtight, with leak-proof lids		Glass slides should be high-quality. Glass cover slips should be high-quality. Organ should have specified which mentioned in name of organs in column 2. Size appropriate to cover the specimen completely Specific organs should be labeled and categorized Common stain should be used: Hematoxylin and Eosin (H&E) Clear and consistent staining to highlight different tissue structures Permanent staining should be used for the long term. Properly mounted specimens to ensure longevity Use of mounting medium that prevents air bubbles and degradation Clearly labeled with the organ name, species, and staining method Permanent, legible, and resistant to chemicals and fading Proper cushioning to avoid breakage during transport Absence of scratches, bubbles, or debris		13. Proper cushioning to avoid breakage during transport 14. Absence of scratches, bubbles, or debris	and degradation  11. Clearly labeled with the organ name, species, and staining method  12. Permanent, legible, and resistant to chemicals and fading
45	25		Each			

TO THE REAL PROPERTY OF THE PARTY OF THE PAR